



US00D47446S

(12) **United States Design Patent**
Eager et al.

(10) **Patent No.:** **US D474,446 S**

(45) **Date of Patent:** **** May 13, 2003**

(54) **STERILIZABLE BATTERY COMPONENT**

JP 406223804 * 8/1994 H01M/2/20

(75) Inventors: **Kris D. Eager**, Richland, MI (US);
James Richard Hanson, Portage, MI (US);
Michael Paul Zamora, Plainwell, MI (US)

* cited by examiner

Primary Examiner—Joel Sincavage
(74) *Attorney, Agent, or Firm*—Flynn, Thiel, Boutell & Tanis, P.C.

(73) Assignee: **Stryker Corporation**, Kalamazoo, MI (US)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design of a sterilizable battery component, as shown and described.

(21) Appl. No.: **29/162,071**

DESCRIPTION

(22) Filed: **Jun. 7, 2002**

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Search** D13/103; 429/96–100,
429/163, 159, 176, 187

FIG. 1 is a pictorial view of the sterilizable battery component of this invention;

FIG. 2 is a top view of the sterilizable battery component of FIG. 1;

FIG. 3 is a bottom view of the sterilizable battery component of FIG. 1;

FIG. 4 is a right side view of the sterilizable battery component of FIG. 1;

FIG. 5 is a front view of the sterilizable battery component of FIG. 1; and,

FIG. 6 is a back view of the sterilizable battery component of FIG. 1.

The left side of the sterilizable battery component of this invention is a mirror image of the right side, illustrated in FIG. 4 herein; therefore, an illustration of the left side is not needed.

(56) **References Cited**


U.S. PATENT DOCUMENTS

- D46,023 S * 5/1914 Gillingham D13/103
- D303,373 S * 9/1989 Ching, Jr. D13/103
- D306,281 S * 2/1990 Braswell D13/103
- 5,977,746 A 11/1999 Hershberger et al.

FOREIGN PATENT DOCUMENTS

JP 362066562 * 3/1987 H01M/2/10

1 Claim, 6 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6