



US00D474478S

(12) **United States Design Patent**
Laverick et al.

(10) **Patent No.:** **US D474,478 S**

(45) **Date of Patent:** **** May 13, 2003**

(54) **INPUT CONTROLS FOR AN ELECTRONIC NAVIGATION INSTRUMENT**

(75) Inventors: **David Laverick**, Overland Park, KS (US); **John B. Whiteside**, Lenexa, KS (US)

(73) Assignee: **Garmin Ltd.** (KY)

(**) Term: **14 Years**

(21) Appl. No.: **29/144,550**

(22) Filed: **Jul. 5, 2001**

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/456; D14/247; D14/346**

(58) **Field of Search** D14/247, 138, D14/399, 400, 401, 455, 456, 391-398, 346; 433/433.01-433.07; 178/17 A, 17 C; 235/145 R, 146, 145 A; 345/156, 157, 160

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,638,716 A	8/1927	Surles	
3,130,970 A	4/1964	Hutsell	273/85
4,050,798 A	9/1977	Boggs	353/35
D291,288 S	8/1987	Suzuki	D10/78
4,969,647 A	11/1990	Mical et al.	273/85
D314,713 S	2/1991	Ciranny et al.	D10/65
5,103,377 A	4/1992	Kobayashi et al.	361/394
5,184,830 A	2/1993	Okada et al.	273/433
5,246,790 A	9/1993	Mooney et al.	429/7
5,333,116 A	7/1994	Hawkins et al.	364/708.1
5,358,135 A	10/1994	Robbins et al.	220/337
5,434,789 A	7/1995	Fraker et al.	364/460

D365,032 S	12/1995	Laverick et al.	D10/78
D365,292 S	12/1995	Laverick et al.	D10/78
5,665,000 A	9/1997	Burrell et al.	463/46
D384,661 S	10/1997	Burrell et al.	D14/137
D395,250 S	6/1998	Kabler et al.	D10/65
D398,002 S	* 9/1998	Chacon et al.	D14/456
D409,927 S	5/1999	Wiegers et al.	D10/65
D426,481 S	6/2000	Laverick	D10/103
D427,919 S	7/2000	Laverick	D10/65
D429,173 S	8/2000	Laverick et al.	D10/80
D429,239 S	* 8/2000	Frye et al.	D14/247
D440,505 S	4/2001	Laverick	D10/65
D451,502 S	* 12/2001	Vuolteenaho et al.	D14/247
D455,736 S	* 4/2002	Vuolteenaho et al.	D14/247

* cited by examiner

Primary Examiner—Kay A. Chin

(74) *Attorney, Agent, or Firm*—Devon A. Rolf


(57) **CLAIM**

The ornamental design for a input controls for an electronic navigation instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a input controls for an electronic navigation instrument of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof. The broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.