



US00D474504S

(12) **United States Design Patent**  
**Woods et al.**

(10) **Patent No.: US D474,504 S**

(45) **Date of Patent: \*\* May 13, 2003**

(54) **OPEN COMMUNICATOR MAILER**

(76) Inventors: **Marisa Woods**, 27943 Ridgeview Ct.,  
Rancho Palos Verdes, CA (US) 90275;  
**Stanley Zimmerman**, 2150 S. Pontius  
Ave., Los Angeles, CA (US) 90025

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/161,883**

(22) Filed: **Jun. 4, 2002**

(51) **LOC (7) Cl. .... 19-01**

(52) **U.S. Cl. .... D19/3; D19/2**

(58) **Field of Search .... D19/1, 2, 3, 4,**  
D19/5, 6, 7, 8, 86; 229/67.1, 67.4, 68.1,  
70, 300, 301-306, 307-316, 71, 72, 76,  
80, 80.5, 92, 92.8, 921, 922, 929; 283/116,  
117, 56; 428/137

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,043,243 A	*	11/1912	Mitchell	.....	229/92.3
1,593,911 A	*	7/1926	Patterson	.....	283/56 X
1,946,751 A	*	2/1934	McCarthy	.....	229/92.3
1,985,592 A	*	12/1934	Woodward	.....	229/70
2,279,164 A	*	4/1942	Gentleman	.....	283/56
2,985,464 A		5/1961	McFarland	.....	283/58
D263,315 S		3/1982	Petersson	.....	D19/1
4,375,868 A		3/1983	Slotar et al.	.....	229/92.3
4,706,878 A		11/1987	Lubotta et al.	.....	229/73
4,781,322 A	*	11/1988	Humm	.....	229/303
4,784,317 A		11/1988	Chen et al.	.....	229/92.3

5,464,255 A		11/1995	Schildmeyer	.....	283/116
5,603,529 A	*	2/1997	Breindel	.....	283/56
5,648,143 A	*	7/1997	Mehta et al.	.....	428/137
6,123,361 A	*	9/2000	Cohen	.....	283/56
6,129,389 A		10/2000	Younger	.....	283/116
6,179,202 B1	*	1/2001	Alexander et al.	.....	229/92.8

**FOREIGN PATENT DOCUMENTS**

EP 0365725 of 1988 ..... B42D/15/08

\* cited by examiner

*Primary Examiner*—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—W. D. English, III


(57) **CLAIM**


The ornamental design for an open communicator mailer, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an open communicator mailer showing our new design in an opened condition; FIG. 2 is a rear elevational view thereof; FIG. 3 is a front elevational view in a folded condition; FIG. 4 is a rear elevational view thereof; FIG. 5 is a front perspective view in a partially opened condition; and, FIG. 6 is a rear elevational view thereof. The indicia depicted by means of broken lines in FIGS. 1, 3, and 5 is shown for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**





**Fig. 1**







Fig. 2




**Fig. 3**



**Fig. 4**



**Fig. 5**



**Fig. 6**