



US00D474555S

(12) **United States Design Patent**
Sieckowski et al.

(10) **Patent No.:** **US D474,555 S**

(45) **Date of Patent:** **** May 13, 2003**

(54) **LIGHTING DEVICE**

(75) Inventors: **Steven D. Sieckowski**, Atlanta, GA (US); **Scott W. Osiecki**, Skaneateles, NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/166,346**

(22) Filed: **Aug. 26, 2002**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/49**

(58) **Field of Search** D26/37–50; 362/157, 362/158, 171, 172, 173, 183–208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D395,722 S	*	6/1998	Howard et al.	D26/49
D447,259 S	*	8/2001	Lynch et al.	D26/49
D449,395 S	*	10/2001	Dalton et al.	D26/49
D457,976 S	*	5/2002	Kung	D26/49

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Robert W. Welsh

(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a view showing a front and top, and a first side of the lighting device of the present invention;

FIG. 2 is a view of the top of the lighting device of the present invention;

FIG. 3 is a view of the bottom of the lighting device of the present invention;

FIG. 4 is a view of the first side of the lighting device of the present invention;

FIG. 5 is a view of a second side of the lighting device of the present invention;

FIG. 6 is a view of the front end of the lighting device of the present invention; and,

FIG. 7 is a view of the back end of the lighting device of the present invention.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7