



US00D474674S

(12) **United States Design Patent**  
**Ling**

(10) **Patent No.:** **US D474,674 S**

(45) **Date of Patent:** **\*\* May 20, 2003**

(54) **LOCK HOUSING**

(76) Inventor: **Renny Tse-Haw Ling**, c/o Sinox Co.,  
Ltd., P.O.Box 4-50, Chung-Ho City,  
Taipei Hsien (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/164,961**

(22) Filed: **Aug. 5, 2002**

(51) **LOC (7) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/343; D8/334**

(58) **Field of Search** ..... **D8/333, 334; 70/20-22,**  
**70/24-29, 35, 41-44, 52**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,444,029	A	*	4/1984	Remington	.....	70/25
D294,453	S	*	3/1988	Ling	.....	D8/334
D372,187	S	*	7/1996	Ling	.....	D8/334
D431,769	S	*	10/2000	Gast	.....	D8/346
D434,635	S	*	12/2000	Ruan	.....	D8/334

D437,204	S	*	2/2001	Kajuch et al.	.....	D8/334
D451,002	S	*	11/2001	Lai	.....	D8/334
D453,467	S	*	2/2002	Nakamura	.....	D8/334

\* cited by examiner

*Primary Examiner*—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Bacon & Thomas, PLLC


(57) **CLAIM**

The ornamental design for “lock housing”, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of “lock housing” showing our new design thereof;  
FIG. 2 is a right side elevational view;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a front side elevational view;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevational view;  
FIG. 7 is a rear side elevational view; and,  
FIG. 8 is a perspective view thereof shown in using position.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig.3




Fig.4




Fig. 5




Fig. 6




Fig. 7




Fig. 8