



US00D474740S

(12) **United States Design Patent** (10) **Patent No.:** **US D474,740 S**  
**Abbott** (45) **Date of Patent:** **\*\* May 20, 2003**

(54) **ELECTRICAL INTERCONNECT HAVING AN INTEGRAL RESILIENT PORTION**

*Primary Examiner*—Joel Sincavage  
(74) *Attorney, Agent, or Firm*—Chris Papageorge

(76) **Inventor:** **Russell Mistretta Abbott**, 2616 Cross St., Riverside, CA (US) 92503

(57) **CLAIM**

(\*\*) **Term:** **14 Years**

The ornamental design for an electrical interconnect having an integral resilient portion, as shown and described.

(21) **Appl. No.:** **29/156,345**

**DESCRIPTION**

(22) **Filed:** **Feb. 28, 2002**

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/133**

(58) **Field of Search** ..... D13/133, 154;  
439/445, 448, 449; 174/74 A, 135, 138 R

This patent application is related to a patent application of the same applicant entitled "Electrical Interconnect having an Integral Helically Shaped Resilient Portion" simultaneously filed and copending with this application.

FIG. 1 is a top front perspective view of an electrical interconnect having an integral resilient portion showing my new design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |    |   |         |               |       |           |
|-----------|----|---|---------|---------------|-------|-----------|
| 4,481,381 | A  | * | 11/1984 | Guazzo et al. | ..... | 174/135   |
| 5,170,016 | A  | * | 12/1992 | Liu et al.    | ..... | 174/138 R |
| D404,363  | S  | * | 1/1999  | Pyle          | ..... | D13/154   |
| 6,220,888 | B1 | * | 4/2001  | Correa        | ..... | 439/445   |
| 6,265,668 | B1 | * | 7/2001  | Liu           | ..... | 174/135   |


FIG. 2 is a side elevational view thereof.

FIG. 3 is a top elevational view thereof; and,

FIG. 4 is a bottom elevational view thereof.

\* cited by examiner

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4