



US00D474752S

(12) **United States Design Patent**
Robinson et al.

(10) **Patent No.:** **US D474,752 S**

(45) **Date of Patent:** **** May 20, 2003**

(54) **SURFACE CONFIGURATION OF A REMOTE CONTROL WITH SWIVELING KEY**

(75) Inventors: **Hugh Robinson**, Stuttgart (DE);
Reinhold Schreiber, Tiefenbronn (DE)

(73) Assignee: **Dr. Ing. h.c.F. Porsche**
Aktiengesellschaft, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/152,022**

(22) Filed: **Dec. 17, 2001**

(30) **Foreign Application Priority Data**

Jun. 15, 2001 (DE) 4 01 05 323

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/168**

(58) **Field of Search** D10/104, 106;
D14/191, 192, 218; D13/162, 162.1, 164,
168; 70/256, 257; 307/10.1, 10.2; 340/825.39,
825.36, 825.69, 825.72, 425.5, 426

(56) **References Cited**

U.S. PATENT DOCUMENTS

D351,381 S * 10/1994 Reardon et al. D14/125
D376,116 S * 12/1996 Dziersek et al. D10/106
D424,577 S * 5/2000 Backs et al. D14/718
D461,458 S * 8/2002 Lin D13/168

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a remote control with swiveling key, as shown and described.

DESCRIPTION

FIG. 1 is a left side view of a surface configuration of a remote control with swiveling key according to our novel design;

FIG. 2 is a right side view of the surface configuration of a remote control with swiveling key according to our novel design;

FIG. 3 is a top view of surface configuration of a remote control with swiveling key according to our novel design;

FIG. 4 is a bottom view of the surface configuration of a remote control with swiveling key according to our novel design;

FIG. 5 is a front view of surface configuration of a remote control with swiveling key according to our novel design;

FIG. 6 is a rear view of the surface configuration of a remote control with swiveling key according to our novel design;

FIG. 7 is a left front perspective view of the surface configuration of a remote control with swiveling key according to our novel design;


FIG. 8 is a left rear perspective view of the surface configuration of a remote control with swiveling key according to our novel design;

FIG. 9 is a left side view of the surface configuration of a remote control with swiveling key with the key extended according to our novel design;

FIG. 10 is a left front perspective view of the surface configuration of a remote control with swiveling key with the key extended according to our novel design; and,

FIG. 11 is a left rear perspective view of the surface configuration of a remote control with swiveling key with the key extended according to our novel design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 11




FIG. 9