



US00D475009S

(12)

United States Design Patent

Ochi

(10) Patent No.:

US D475,009 S

(45) Date of Patent:

** May 27, 2003

(54) TREAD PORTION OF AN AUTOMOBILE TIRE

(75) Inventor: Naoya Ochi, Chuo-ku (JP)

(73) Assignee: Bridgestone Corporation, Tokyo (JP)

(**) Term: 14 Years

(21) Appl. No.: 29/159,799

(22) Filed: Apr. 30, 2002

(30) Foreign Application Priority Data

Oct. 31, 2001 (JP) 2001-032010

(51) LOC (7) Cl. 12-15

(52) U.S. Cl. D12/600; D12/579

(58) Field of Search D12/551, 552,
D12/553, 574, 586, 587, 588, 594, 595,
598, 600, 601; 152/209.1, 209.9, 209.13,
209.25, 209.28

(56) References Cited

U.S. PATENT DOCUMENTS

D322,951 S	*	1/1992	Robinson et al.		D12/586
D423,424 S	*	4/2000	Ikeda		D12/585
D427,953 S	*	7/2000	Murata		D12/552
D457,856 S	*	5/2002	Ochi		D12/600
D458,214 S	*	6/2002	Takahashi et al.		D12/600
D464,615 S	*	10/2002	Kolowski et al.		D12/600

OTHER PUBLICATIONS

Bridgestone Potenza RE910 Tire, 2000 Tread Design Guide, Jan. 2000, p. 16. 3/4.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) Attorney, Agent, or Firm—Sughrue Mion, PLLC

(57) CLAIM

The ornamental design for a tread portion of an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread portion of an automobile tire showing my new design, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof, the right side elevational view is indetical with the left side elevational view;

FIG. 4 is an enlarged fragmentary front elevational view thereof; and,

FIG. 5 is an enlarged cross-sectional view thereof taken along line 5—5 in FIG. 4.

The portion of the article shown in broken lines is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

