



US00D475453S

(12) **United States Design Patent**
Paul et al.

(10) **Patent No.:** **US D475,453 S**

(45) **Date of Patent:** **** Jun. 3, 2003**

(54) **RESPIRATORY MASK**

(75) Inventors: **Zachary D. Paul**, Pittsburgh, PA (US);
Joseph M. Miceli, Jr., Pittsburgh, PA (US)

4,944,310 A 7/1990 Sullivan
4,971,051 A 11/1990 Taffolon
D333,015 S 2/1993 Farmer et al.
5,243,971 A 9/1993 Sullivan et al.

(List continued on next page.)

(73) Assignee: **Respironics, Inc.**, Murrysville, PA (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

WO WO 98-04310 2/1998

(21) Appl. No.: **29/156,209**

OTHER PUBLICATIONS

(22) Filed: **Feb. 25, 2002**

Respironics, Inc., Comfort Flap® Mask Accessory, 1994, USA.

Respironics, Inc., Small Child Reusable Nasal Mask, 1994, USA.

Respironics, Inc., Spectrum® Reusable Full Face Mask, 1998, USA.

Respironics, Inc. Monarch® Ultra Mini Mask, 1998, USA.

Respironics, Inc., The Softest, Silkiest, CPAP Mask Available, USA.

Related U.S. Application Data

(62) Division of application No. 29/142,895, filed on Jun. 4, 2001, now Pat. No. Des. 464,728.

(51) **LOC (7) Cl.** **29-02**

(52) **U.S. Cl.** **D24/110.4; D24/110.1**

(58) **Field of Search** D24/110.4, 110.1,
D24/110.5; 128/205.25, 206.24, 204.18,
206.19, 206.13, 206.21, 207.12, 207.13

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—Michael W. Haas

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS

The ornamental design for respiratory mask, as shown and described.

- 2,011,733 A 8/1935 Shindel
- 2,104,016 A 1/1938 Biggs
- 2,254,854 A 9/1941 O'Connell
- 2,317,608 A 4/1943 HeidbRink
- 2,749,910 A 6/1956 Faulconer, Jr.
- 2,931,356 A 4/1960 Schwarz
- 2,939,458 A 6/1960 Lundquist
- 3,330,273 A 7/1967 Bennett
- D236,033 S 7/1975 Dryden
- D239,469 S 4/1976 Halldin et al.
- 4,167,185 A 9/1979 Lewis
- 4,655,213 A 4/1987 Rapoport et al.
- 4,677,977 A 7/1987 Wilcox
- 4,739,755 A 4/1988 White et al.
- 4,907,584 A 3/1990 McGinnis

DESCRIPTION

FIG. 1 is a perspective view of a respiratory mask showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a side view thereof, the opposite side view being similar thereto;


FIG. 4 is a top side view thereof;

FIG. 5 is a rear side view thereof; and,

FIG. 6 is a bottom side view thereof.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D475,453 S

Page 2

U.S. PATENT DOCUMENTS

D349,586 S	8/1994	Handke	D389,238 S	1/1998	Kirk, III et al.
5,492,116 A	2/1996	Scarberry et al.	5,724,965 A	3/1998	Handke et al.
5,517,986 A	5/1996	Starr et al.	5,746,201 A	5/1998	Kidd
5,540,223 A	7/1996	Starr et al.	D430,663 S	9/2000	Smart
5,560,354 A	10/1996	Berthon-Jones et al.	D434,141 S	11/2000	Randeberg et al.
5,570,689 A	11/1996	Starr et al.	D439,326 S *	3/2001	Hecker et al. D24/110.5
5,647,357 A	7/1997	Barnett et al.	6,357,441 B1 *	3/2002	Kwok et al. 128/205.25
5,662,101 A	9/1997	Ogden et al.	6,491,034 B1 *	12/2002	Gunaratnam et al. .. 128/205.25

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6