



US00D475486S

(12) **United States Design Patent**
Ide et al.

(10) **Patent No.: US D475,486 S**

(45) **Date of Patent: ** Jun. 3, 2003**

(54) **INFLATABLE CROWN LINER FOR A PROTECTIVE HELMET**

D364,487 S * 11/1995 Tutton et al. D29/122
6,219,850 B1 * 4/2001 Halstead et al. 2/414
6,226,801 B1 * 5/2001 Alexander et al. 2/413

(75) Inventors: **Thad M. Ide**, Chicago, IL (US); **Ralph J. Infusino**, Bloomingdale, IL (US); **Nelson Kraemer**, Mount Prospect, IL (US)

* cited by examiner

Primary Examiner—Ruth McInroy
(74) *Attorney, Agent, or Firm*—Bracewell & Patterson, L.L.P.

(73) Assignee: **Riddell, Inc.**, Chicago, IL (US)

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for an inflatable crown liner for a protective helmet, as shown and described.

(21) Appl. No.: **29/164,154**

DESCRIPTION

(22) Filed: **Jul. 18, 2002**

(51) **LOC (7) Cl.** **29-02**

(52) **U.S. Cl.** **D29/122**

(58) **Field of Search** D29/122, 102-107;
2/410-414, 418, 422, 423, 424, 425

FIG. 1 is a bottom plan view of an inflatable crown liner for a protective helmet showing our design, the crown liner appearing as if it were viewed when looking into the protective helmet (not shown);

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,609,764 A	*	10/1971	Morgan	2/414
3,866,243 A	*	2/1975	Morgan	2/418
D267,287 S	*	12/1982	Gooding	D29/122
4,566,137 A	*	1/1986	Gooding	2/413
4,853,980 A	*	8/1989	Zarotti	2/413
5,035,009 A	*	7/1991	Wingo, Jr. et al.	2/414
5,263,203 A	*	11/1993	Kraemer et al.	2/413

FIG. 2 is a right side elevational view of the crown liner of FIG. 1;

FIG. 3 is a left side elevational view of the crown liner of FIG. 1;

FIG. 4 is a rear elevational view of the crown liner of FIG. 1;

FIG. 5 is a front elevational view of the crown liner of FIG. 1; and,

FIG. 6 is a top plan view of the crown liner of FIG. 1.

1 Claim, 2 Drawing Sheets




FIG. 4




FIG. 2




FIG. 3





FIG. 1

FIG. 5





FIG. 6