



US00D475612S

(12) **United States Design Patent**  
**Wagner et al.**

(10) **Patent No.:** **US D475,612 S**

(45) **Date of Patent:** **\*\* Jun. 10, 2003**

(54) **EXHAUST SYSTEM CLAMP**

(75) Inventors: **Wayne M. Wagner**, Apple Valley, MN (US); **John I. Belisle**, Hampton, MN (US)

(73) Assignee: **Donaldson Company, Inc.**, Minneapolis, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/151,788**

(22) Filed: **Dec. 7, 2001**

(51) **LOC (7) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/396**

(58) **Field of Search** ..... D8/349, 352, 382, D8/394, 396, 397; 248/61, 62, 49-51, 58, 59, 71-73, 74.1, 510, 231.31; 24/16 R, 16 PB, 455, 275, 276, 279, 19; 285/406, 407, 410

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

906,806	A	*	12/1908	Kortick et al.	.....	248/62
1,678,622	A	*	7/1928	Horne	.....	24/279
2,852,832	A	*	9/1958	Jones	.....	24/279
D257,949	S	*	1/1981	Strom	.....	D8/396
4,251,991	A	*	2/1981	Wood	.....	60/398
4,252,289	A	*	2/1981	Herb	.....	248/62
4,449,038	A	*	5/1984	Reich et al.	.....	219/528
6,000,104	A	*	12/1999	Mann	.....	24/279
D442,853	S	*	5/2001	Gopalraja et al.	.....	D8/395
6,305,054	B1	*	10/2001	Imes et al.	.....	24/276
D451,790	S	*	12/2001	Wagner et al.	.....	D8/396

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Deanne Levy

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.



(57) **CLAIM**

The ornamental design for an exhaust system clamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of an exhaust system clamp, according to the present invention; FIG. 2 is a front view of the exhaust system clamp of FIG. 1; the rear view being substantially identical thereto; FIG. 3 is a right side view of the exhaust system clamp of FIG. 1; FIG. 4 is a left side view of the exhaust system clamp of FIG. 1; FIG. 5 is a top view of the exhaust system clamp of FIG. 1; FIG. 6 is a bottom view of the exhaust system clamp of FIG. 1; FIG. 7 is a front perspective view of another embodiment of an exhaust system clamp, according to the present invention; FIG. 8 is a front view of the exhaust system clamp of FIG. 7; FIG. 9 is a right side view of the exhaust system clamp of FIG. 7; FIG. 10 is a rear view of the exhaust system clamp of FIG. 7; FIG. 11 is a left side view of the exhaust system clamp of FIG. 7; FIG. 12 is a top view of the exhaust system clamp of FIG. 7; FIG. 13 is a bottom view of the exhaust system clamp of FIG. 7; FIG. 14 is a top view of the clamp of FIG. 1 with the bolt partially broken away; and, FIG. 15 is a top view of the clamp of FIG. 7 with the bolt partially broken away.

**1 Claim, 8 Drawing Sheets**






FIG. 1

FIG. 4




FIG. 3




FIG. 2




FIG. 5





FIG. 6






FIG. 7

FIG. 9




FIG. 8




FIG. 11




FIG. 10




FIG. 12




FIG. 13






FIG. 14




FIG. 15

