



US00D475628S

(12) **United States Design Patent**  
**Walsh et al.**

(10) **Patent No.:** **US D475,628 S**  
(45) **Date of Patent:** **\*\* Jun. 10, 2003**

(54) **CONTAINER**

(75) Inventors: **Michael J. Walsh**, Chesterfield, MO (US); **Mark A. Gilbertson**, Sauk City, WI (US); **Michael J. Brock**, Madison, WI (US); **Scott G Manke**, Sun Prairie, WI (US)

(73) Assignee: **Masterchem Industries, Inc.**, Imperial, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/159,648**

(22) Filed: **Apr. 25, 2002**

(51) **LOC (7) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/530; D9/516; D9/532; D9/528**

(58) **Field of Search** ..... D9/414, 422, 426, D9/424, 432, 532, 560, 530, 539, 540, 523, 528; 220/570, 601, 675, 696, 766, 761; 215/382-385

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,120,487 A	6/1938	Conner	
D199,644 S	* 11/1964	Trombley et al.	D9/523
D240,391 S	* 7/1976	Koenigsberg	D9/523
4,033,473 A	7/1977	Raley et al.	
D267,631 S	1/1983	Beechuk	
D269,948 S	* 8/1983	Janssen	D9/523
D303,084 S	* 8/1989	Sedam et al.	D9/523 X
D308,166 S	* 5/1990	Weckman	D9/523
D313,935 S	* 1/1991	Miller	D9/523
D320,345 S	* 10/1991	Hamly et al.	D9/528 X
D323,456 S	1/1992	Gonda	
5,108,009 A	4/1992	Davidson et al.	
5,269,438 A	* 12/1993	Kelsey	222/465.1
5,299,710 A	4/1994	Welsch et al.	

D351,792 S	* 10/1994	Morris, Sr.	D9/425
D352,659 S	* 11/1994	Nilsson et al.	D9/528 X
5,377,858 A	* 1/1995	Morris, Sr.	220/601 X
D355,854 S	* 2/1995	Baron et al.	D9/528
D357,417 S	* 4/1995	Van Keimpema et al.	D9/528 X
D362,180 S	* 9/1995	Haines	D9/424
D378,494 S	* 3/1997	Miller	D9/528
D393,520 S	4/1998	Christy	
D396,009 S	* 7/1998	Reubens	D9/530
5,823,345 A	10/1998	Nask et al.	
D405,014 S	2/1999	Nask et al.	
D415,687 S	10/1999	Lai et al.	
D428,817 S	8/2000	Olson et al.	
D431,472 S	10/2000	Cain et al.	
6,223,945 B1	5/2001	Giblin et al.	

\* cited by examiner

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Foley & Lardner


(57) **CLAIM**

We claim the ornamental design for a container, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a container; FIG. 2 is a right view of the design of FIG. 1, the left view being a mirror image; FIG. 3 is top view of the design of FIG. 1; FIG. 4 is a front view of the design of FIG. 1; FIG. 5 is rear view of the design of FIG. 1; and, FIG. 6 is a bottom view of the design of FIG. 1. The ornamental design which is claimed is shown in solid lines in the drawings. The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 475,628 S  
DATED : June 10, 2003  
INVENTOR(S) : Michael J. Walsh et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

**DESCRIPTION**, please delete "FIG. 4is" and insert therefore -- FIG. 4 is --.  
Please delete "FIG. 5 s" and insert therefore -- FIG. 5 is --.

Signed and Sealed this

Fifth Day of August, 2003

A handwritten signature in black ink, appearing to read "James E. Rogan", with a horizontal line underneath it.

JAMES E. ROGAN  
*Director of the United States Patent and Trademark Office*