



US00D475628S

(12) **United States Design Patent**
Walsh et al.

(10) **Patent No.: US D475,628 S**
(45) **Date of Patent: ** Jun. 10, 2003**

(54) **CONTAINER**

(75) Inventors: **Michael J. Walsh**, Chesterfield, MO (US); **Mark A. Gilbertson**, Sauk City, WI (US); **Michael J. Brock**, Madison, WI (US); **Scott G Manke**, Sun Prairie, WI (US)

(73) Assignee: **Masterchem Industries, Inc.**, Imperial, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/159,648**

(22) Filed: **Apr. 25, 2002**

(51) **LOC (7) Cl. 09-01**

(52) **U.S. Cl. D9/530; D9/516; D9/532; D9/528**

(58) **Field of Search D9/414, 422, 426, D9/424, 432, 532, 560, 530, 539, 540, 523, 528; 220/570, 601, 675, 696, 766, 761; 215/382-385**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,120,487 A 6/1938 Conner
- D199,644 S * 11/1964 Trombley et al. D9/523
- D240,391 S * 7/1976 Koenigsberg D9/523
- 4,033,473 A 7/1977 Raley et al.
- D267,631 S 1/1983 Beechuk
- D269,948 S * 8/1983 Janssen D9/523
- D303,084 S * 8/1989 Sedam et al. D9/523 X
- D308,166 S * 5/1990 Weckman D9/523
- D313,935 S * 1/1991 Miller D9/523
- D320,345 S * 10/1991 Hamly et al. D9/528 X
- D323,456 S 1/1992 Gonda
- 5,108,009 A 4/1992 Davidson et al.
- 5,269,438 A * 12/1993 Kelsey 222/465.1
- 5,299,710 A 4/1994 Welsch et al.

- D351,792 S * 10/1994 Morris, Sr. D9/425
- D352,659 S * 11/1994 Nilsson et al. D9/528 X
- 5,377,858 A * 1/1995 Morris, Sr. 220/601 X
- D355,854 S * 2/1995 Baron et al. D9/528
- D357,417 S * 4/1995 Van Keimpema et al. D9/528 X
- D362,180 S * 9/1995 Haines D9/424
- D378,494 S * 3/1997 Miller D9/528
- D393,520 S 4/1998 Christy
- D396,009 S * 7/1998 Reubens D9/530
- 5,823,345 A 10/1998 Nask et al.
- D405,014 S 2/1999 Nask et al.
- D415,687 S 10/1999 Lai et al.
- D428,817 S 8/2000 Olson et al.
- D431,472 S 10/2000 Cain et al.
- 6,223,945 B1 5/2001 Giblin et al.

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Foley & Lardner

(57) **CLAIM**


We claim the ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container;
 FIG. 2 is a right view of the design of FIG. 1, the left view being a mirror image;
 FIG. 3 is top view of the design of FIG. 1;
 FIG. 4 is a front view of the design of FIG. 1;
 FIG. 5 is rear view of the design of FIG. 1; and,
 FIG. 6 is a bottom view of the design of FIG. 1.

The ornamental design which is claimed is shown in solid lines in the drawings. The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 475,628 S
DATED : June 10, 2003
INVENTOR(S) : Michael J. Walsh et al.

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

DESCRIPTION, please delete "FIG. 4is" and insert therefore -- FIG. 4 is --.
Please delete "FIG. 5 s" and insert therefore -- FIG. 5 is --.

Signed and Sealed this

Fifth Day of August, 2003

A handwritten signature in black ink, appearing to read "James E. Rogan", with a horizontal line underneath it.

JAMES E. ROGAN
Director of the United States Patent and Trademark Office