



US00D475654S

(12) **United States Design Patent**  
**Yoshiguchi**

(10) **Patent No.:** **US D475,654 S**

(45) **Date of Patent:** **\*\* Jun. 10, 2003**

(54) **BUCKLE**

(75) Inventor: **Manabu Yoshiguchi**, Kanagawa-ken (JP)

(73) Assignee: **NIFCO Inc.**, Yokohama (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/164,297**

(22) Filed: **Jul. 23, 2002**

(30) **Foreign Application Priority Data**

Jan. 29, 2002 (JP) ..... 2002-001834

(51) **LOC (7) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Search** ..... D11/200-220,  
D11/222-241; 24/200, 625, 615, 663, 623,  
633, 196

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,825,515	A	*	5/1989	Wolterstorff, Jr.	24/625
D320,178	S	*	9/1991	Kasai	D11/218
5,222,279	A	*	6/1993	Franco et al.	24/625
D340,886	S	*	11/1993	Anscher	D11/218
D341,105	S	*	11/1993	Lovato	D11/216
D349,262	S	*	8/1994	Krauss	D11/216
D364,125	S	*	11/1995	Anscher	D11/216
D379,161	S	*	5/1997	Matoba	D11/216
D402,589	S	*	12/1998	Lundstedt	D11/216
D405,726	S	*	2/1999	Krauss	11/218
5,996,192	A	*	12/1999	Haines et al.	24/625
6,052,875	A	*	4/2000	Fudaki	24/625
D423,985	S	*	5/2000	Yoshiguchi	D11/218
6,263,549	B1	*	7/2001	Uehara	24/625
D447,442	S	*	9/2001	Maruoka	D11/218
6,311,374	B1	*	11/2001	Anscher	24/625

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi


(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a buckle showing my new design;  
 FIG. 2 is a rear view thereof;  
 FIG. 3 is a top plan view thereof, the bottom plan view being symmetrical to the top plan view;  
 FIG. 4 is a right side view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a perspective view of a female member of the buckle shown separately for convenience of illustration;  
 FIG. 7 is a front view of the female member shown in FIG. 6;  
 FIG. 8 is a rear view of the female member shown in FIG. 6;  
 FIG. 9 is a top plan view of the female member shown in FIG. 6;  
 FIG. 10 is a right side view of the female member shown in FIG. 6;  
 FIG. 11 is a left side view of the female member shown in FIG. 6;  
 FIG. 12 is a perspective view of a male member of the buckle shown separately for convenience of illustration;  
 FIG. 13 is a front view of the male member shown in FIG. 12;  
 FIG. 14 is a rear view of the male member shown in FIG. 12;  
 FIG. 15 is a top plan view of the male member shown in FIG. 12; and,  
 FIG. 16 is a right side view of the male member shown in FIG. 12.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16