

US00D475744S

(12) United States Design Patent (10) Patent No.:

De Man et al.

(45) Patent No.: (45) Date of Patent: US D475,744 S

Jun. 10, 2003

(54) TAPE DISPENSER

(75) Inventors: Eelco H. De Man, Helmond (NL);

Stephan Blom, Helmond (NL); Erwin

(WO) DM/058 645

83/610

P. Boes, Nijmegen (NL)

(73) Assignee: Ray Technology Group B.V., Drunen

(NL)

(**) Term: 14 Years

(21) Appl. No.: 29/162,129

Dec. 10, 2001

(22) Filed: Jun. 10, 2002

(30) Foreign Application Priority Data

(51)	LOC (7) Cl	19-02
(52)	U.S. Cl	D19/69 ; D19/67
(58)	Field of Search	D19/53, 65, 66,
	D19/67–69, 72, 89	9, 99, 100; 225/6, 7, 11,
	12, 19, 14, 22, 25	, 34, 35, 46, 56, 57, 77,
	89; 242/588, 588	.1–588.6, 590; 156/510,
	327, 523, 527,	577; 15/104.93, 104.94;

(56) References Cited

U.S. PATENT DOCUMENTS

D144,392	S	*	4/1946	Krueger D19/69
2,864,446	A	*	12/1958	Olson et al 83/610
D188,519	S	*	8/1960	Gershen
3,035,345	A	*	5/1962	Barnard 225/14 X
D202,949	S	*	11/1965	Petterson
4,630,765	A	*	12/1986	Samuelson et al 225/96
D294,955	S	*	3/1988	Ragnerstam
D305,249	S	*	12/1989	Ukisu D19/69 X
D441,795	S	*	5/2001	De Regt et al

^{*} cited by examiner

Primary Examiner—Martie K. Holtje

(74) Attorney, Agent, or Firm—Bell, Boyd & Lloyd LLC

(57) CLAIM

The ornamental design for a tape dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front top view according to the present invention.

FIG. 2 is a perspective front top view in opened position according to the present invention.

FIG. 3 is a perspective left side view from above according to the present invention.

FIG. 4 is a perspective left side view from above in opened position according to the present invention.

FIG. 5 is a right side view according to the present invention.

FIG. 6 is a right side view in opened position according to the present invention.

FIG. 7 is a left side view according to the present invention.

FIG. 8 is a left side view in opened position according to the present invention.

FIG. 9 is a top view in opened position according to the present invention.

FIG. 10 is a top view according to the present invention.

FIG. 11 is a front view according to the present invention.

FIG. 12 is a front view in opened position according to the present invention.


FIG. 13 is a back view according to the present invention.


FIG. 14 is a back view in opened position according to the present invention.

FIG. 15 is a bottom view according to the present invention; and,

FIG. 16 is a bottom view in opened position according to the present invention.

1 Claim, 2 Drawing Sheets





Jun. 10, 2003







FIG. 10







FIG. 15








FIG. 5










FIG. 9



Jun. 10, 2003







FIG. 2



F1G. 6




FIG. 16

