



US00D475789S

(12) **United States Design Patent**  
**McCormick et al.**

(10) **Patent No.:** **US D475,789 S**  
(45) **Date of Patent:** **\*\* Jun. 10, 2003**

- (54) **ANKLE BRACE**
- (75) Inventors: **Scott D. McCormick**, Cincinnati, OH (US); **Sherry Hinds**, Goshen, OH (US)
- (73) Assignee: **Beiersdorf, Inc.**, Wilton, CT (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/163,932**
- (22) Filed: **Jul. 15, 2002**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 29/162,667, filed on Jun. 19, 2002.
- (51) **LOC (7) Cl.** ..... **24-04**
- (52) **U.S. Cl.** ..... **D24/192; D24/190**
- (58) **Field of Search** ..... **D24/190, 192; 607/27, 23, 65, 5, 6**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,050,053 A	8/1962	Peckham	
3,073,305 A	1/1963	Biggs, Jr. et al.	
3,506,000 A	* 4/1970	Baker	602/65
4,378,793 A	4/1983	Mauldin et al.	
4,414,965 A	11/1983	Mauldin et al.	
4,446,856 A	5/1984	Jordan	
4,572,169 A	2/1986	Mauldin et al.	
4,651,726 A	3/1987	Holland	
4,729,370 A	3/1988	Kallassy	
4,878,504 A	11/1989	Nelson	
4,998,537 A	3/1991	Rau	
5,067,486 A	11/1991	Hely	
5,352,189 A	10/1994	Schumann et al.	
5,393,303 A	2/1995	Shiono	
5,472,411 A	12/1995	Montag et al.	
5,472,414 A	12/1995	Detty	

5,620,411 A	4/1997	Schumann et al.	
5,620,413 A	4/1997	Olson	
5,657,767 A	8/1997	Nelson et al.	
5,713,837 A	2/1998	Grim et al.	
5,741,222 A	4/1998	Fiore	
5,795,316 A	8/1998	Gaylord	
D397,797 S	* 9/1998	Chiang	D24/192
5,833,639 A	11/1998	Nunes et al.	
5,833,640 A	11/1998	Vazquez, Jr. et al.	
D403,776 S	1/1999	Brennan	
5,868,693 A	2/1999	Duback et al.	
5,899,872 A	5/1999	Gilmour	
D412,581 S	8/1999	Brennan	
5,944,678 A	8/1999	Hubbard	
6,024,712 A	2/2000	Iglesias et al.	
6,117,098 A	9/2000	Weber et al.	
6,126,626 A	10/2000	Duback et al.	
6,126,627 A	10/2000	Brennan	

\* cited by examiner

*Primary Examiner*—Stella Reid

(74) *Attorney, Agent, or Firm*—Alston & Bird LLP


(57) **CLAIM**


The ornamental design for a ankle brace, as shown and described.

**DESCRIPTION**


FIG. 1 is a front perspective view of an ankle brace, showing our new design, in use condition;  
 FIG. 2 is a rear perspective view of the ankle brace shown FIG. 1;  
 FIG. 3 is a front perspective view of the ankle brace shown in FIG. 1 in open, non-use condition; and,  
 FIG. 4 is another alternative arrangement of the ankle brace shown in FIG. 1, in use condition.  
 The broken lines shown herein are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







*FIG. 1.*



**FIG. 2.**



**FIG. 3.**



*FIG. 4.*