



US00D475833S

(12) **United States Design Patent**  
**Robinson**

(10) **Patent No.:** **US D475,833 S**

(45) **Date of Patent:** **\*\* Jun. 17, 2003**

(54) **REFILLABLE FILTER BAG WITH RIBBON-LOCK SEAL FOR TEA OR COFFEE**

5,379,914 A 1/1995 Martins

\* cited by examiner

(76) Inventor: **James J. Robinson**, 7891  
Northumberland Hwy., Heathsville, VA  
(US) 22473

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Linda Brooks

(74) *Attorney, Agent, or Firm*—Donald R. Schoonover

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/161,366**

The ornamental design for a refillable filter bag with ribbon-lock seal for tea or coffee, as shown and described.

(22) Filed: **May 28, 2002**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **01-01**

(52) **U.S. Cl.** ..... **D1/199**

(58) **Field of Search** ..... D1/100–129, 199;  
426/77–84, 115, 394; 206/0.5

FIG. 1 is a perspective view of a refillable filter bag with ribbon-lock seal for tea or coffee embodying the design of the present invention with the ribbon-lock seal in partially opened condition;

FIG. 2 is a front elevational view thereof with the ribbon-lock seal in closed condition;

FIG. 3 is a rear elevational view of FIG. 2;

FIG. 4 is a right side elevational view of FIG. 2, the left side elevational view being a mirror image thereof;

FIG. 5 is a top plan view of FIG. 2; and,

FIG. 6 is a bottom plan view of FIG. 2.


The pattern of lines shown only partially on the filter bag is understood to repeat uniformly across the entire surfaces where shown.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

634,349 A	*	10/1899	Humphrey	.....	426/82
1,174,518 A		3/1916	Nolda		
1,947,523 A		2/1934	Hirschhorn		
2,087,771 A		7/1937	Keller		
2,149,713 A		3/1939	Webber		
D118,424 S		1/1940	Irmscher		
2,298,420 A		10/1942	Salfisberg		
4,055,668 A		10/1977	Kopp		
4,859,337 A		8/1989	Woltermann		

**1 Claim, 3 Drawing Sheets**






FIG. 1.




FIG. 4.




FIG. 2.




FIG. 5. FIG. 6.

