



US00D475927S

(12) **United States Design Patent**  
**Maddy**

(10) **Patent No.:** **US D475,927 S**

(45) **Date of Patent:** **\*\* Jun. 17, 2003**

- (54) **COMBINED BOTTLE AND CAP**
- (75) Inventor: **Timothy P. Maddy**, Dallas, TX (US)
- (73) Assignee: **Mary Kay, Inc.**, Addison, TX (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/144,955**
- (22) Filed: **Jul. 12, 2001**
- (51) **LOC (7) Cl.** ..... **09-01**
- (52) **U.S. Cl.** ..... **D9/503; D9/522; D9/558**
- (58) **Field of Search** ..... **D1/101-102, 105, D1/116, 118, 120, 124, 130; D9/300, 500, 504, 505, 516, 520, 522, 523, 526, 529, 544, 549, 558, 574, 575; 215/381-385, 396, 398, 400; D28/76, 85-90; 222/321.1, 321.9**

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**

1,882,290	A	*	10/1932	Meagher	.....	D1/102
D182,235	S	*	3/1958	Jaffe	.....	D9/454
D189,374	S	*	11/1960	Harris	.....	D9/504
D196,455	S	*	10/1963	Stern	.....	D9/504
3,263,871	A	*	8/1966	Thompson	.....	222/205
D218,399	S	*	8/1970	Campbell	.....	D9/504
D221,978	S	*	9/1971	Daenen	.....	D9/504 X
D271,050	S	*	10/1983	Berkman	.....	D28/88 X
D324,332	S	*	3/1992	Seifert et al.	.....	D9/520
D344,017	S	*	2/1994	Lang et al.	.....	D9/504 X
D360,583	S	*	7/1995	Paping	.....	D9/526
D390,117	S	*	2/1998	Kan et al.	.....	D9/529
D404,647	S	*	1/1999	Federighi	.....	D9/439
D414,684	S	*	10/1999	Usui et al.	.....	D9/300
D420,595	S	*	2/2000	Herrmann	.....	D9/529
D447,602	S	*	9/2001	Dumler et al.	.....	D28/76
D451,027	S	*	11/2001	Dugrot	.....	D9/506

**OTHER PUBLICATIONS**

Cosmopolitan, 1994 Cosmair Inc., "V" by Vanderbilt, Aug. 1994, p. 19.\*

\* cited by examiner

*Primary Examiner*—Ted Shooman  
*Assistant Examiner*—Carol Rademaker  
(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(57) **CLAIM**

The ornamental design for a combined bottle and cap, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a combined bottle and cap showing my new design, wherein the suitability of standing the same on its cap is illustrated;

FIG. 2 is a perspective view of a combined bottle and cap showing my new design, wherein the suitability of standing the same on its bottom is illustrated;

FIG. 3 is a front view of the combined bottle and cap depicted in FIGS. 1 and 2;

FIG. 4 is a right side view of the combined bottle and cap depicted in FIGS. 1 and 2, the left side view being a mirror image;

FIG. 5 is a rear view of the combined bottle and cap depicted in FIGS. 1 and 2;

FIG. 6 is a bottom plan view taken in the direction indicated in FIG. 4 by directional line 6—6;

FIG. 7 is a top plan view taken in the direction indicated in FIG. 4 by directional line 7—7; and,


FIG. 8 depicts an alternate embodiment of the bottle of the combined bottle and cap depicted in FIGS. 1 through 7, and is an identical view to the one shown in FIG. 4, except for having a sidewall that transmits light.

The difference between the bottle shown in FIG. 8 and the bottles shown in FIGS. 1-7 is the added outline of the interior of the bottle, which is shown in dotted lines. These dotted lines, and thus the interior of the bottle depicted in FIG. 8, represent environmental structure and form no part of the claimed design. This depiction of the non-claimed interior of the bottle in FIG. 8 makes clear that, in one embodiment, the bottle to which my claimed design is applied transmits light.

The stipple shading on the insert shown in FIGS. 1-5 & 7-8 indicates a frosted surface.

The broken line showing of a pump top in FIGS. 1-5 & 7-8 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 5




FIG. 4




FIG. 3




FIG. 6




FIG. 7




FIG. 8