



US00D475931S

(12)

United States Design Patent
McGee

(10)

Patent No.: US D475,931 S

(45)

Date of Patent: ** Jun. 17, 2003

(54)

CLOCK AND RADIATION DETECTOR COMBINATION

(76)

Inventor: **Raymond P. McGee**, 1043 Agard St.,
Benton Harbor, MI (US) 49022

(**)

Term: **14 Years**

(21)

Appl. No.: **29/169,938**

(22)

Filed: **Oct. 30, 2002**

(51)

LOC (7) Cl. 10-01

(52)

U.S. Cl. D10/2; D10/15

(58)

Field of Search D10/2, 15, 31,
D10/122-132; 250/370.9; 368/10, 11

(56)

References Cited

U.S. PATENT DOCUMENTS				
D210,281	S	*	2/1968	Specht D10/97
D215,120	S	*	9/1969	Estes D10/47
3,570,239	A	*	3/1971	Charles 368/11
D274,191	S	*	6/1984	Aoijs D14/171
4,695,730	A	*	9/1987	Noda et al. 250/370.09
4,733,383	A	*	3/1988	Waterbury 368/10
D353,106	S	*	12/1994	Jeanneret et al. D10/31
D360,138	S	*	7/1995	DeLarosa D10/15
D368,038	S	*	3/1996	Velazquez D10/47
D402,208	S	*	12/1998	Jones D10/2

D409,498

S

*

5/1999

Hargrove, III

.....

D10/15

D413,605

S

*

9/1999

Thomas

.....

D14/240

D424,950

S

*

5/2000

Martinez

.....

D10/15

D452,656

S

*

1/2002

So

.....

D10/15

* cited by examiner

Primary Examiner—Nelson C. Holtje

(57)

CLAIM

The ornamental design for a clock and radiation detector combination, as shown and described.

DESCRIPTION

FIG. 1 is a front elevated view of a clock and radiation detector combination showing my new design.

FIG. 2 is a rear elevated view of the clock and radiation detector combination.


FIG. 3 is a left side elevated view of the clock and radiation detector combination.

FIG. 4 is a right side elevated view of the clock and radiation detector combination.

FIG. 5 is a top plan view of the clock and radiation detector combination; and,

FIG. 6 is a bottom plan view of the clock and radiation detector combination.

1 Claim, 2 Drawing Sheets






FIG. 2

FIG. 1




FIG. 3

FIG. 4




FIG. 5

FIG. 6