



US00D475937S

(12) **United States Design Patent**
Banaya

(10) **Patent No.:** **US D475,937 S**

(45) **Date of Patent:** **** Jun. 17, 2003**

(54) **LOCATOR DEVICE**

(76) **Inventor:** **James W. Banaya**, 6814 Rainier Ave.
South, #4, Seattle, WA (US) 98118

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/164,163**

(22) **Filed:** **Jul. 18, 2002**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65**

(58) **Field of Search** D10/65, 78; D14/138;
340/990; 361/394, 422, 784; 364/444, 499,
708.1, 450; 367/111, 88, 98, 908; 342/419,
457, 357.13, 357.08, 357.12, 357.06; 343/702,
878; 701/208, 211, 212

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,546,092 A * 8/1996 Kurokawa et al. 342/357.06
- 6,199,012 B1 * 3/2001 Hasegawa 701/208
- 6,222,482 B1 * 4/2001 Guezlec 342/708

- 6,307,485 B1 * 10/2001 Hasegawa 340/995
- D461,134 S * 8/2002 Eckelberger D10/65
- D464,033 S * 10/2002 Piano-Poirier D10/65 SR
- 6,509,869 B2 * 1/2003 Aoyama 342/357.13

* cited by examiner

Primary Examiner—Antoine Duval Davis

(57) **CLAIM**

The ornamental design for a locator device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a locator device showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a side view, taken from the left side of FIG. 1;


FIG. 4 is a side view, taken from the right side of FIG. 1;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 2




FIG. 1




FIG. 3

FIG. 4




FIG. 5




FIG. 6