



US00D476034S

(12) **United States Design Patent**
Rommel

(10) **Patent No.:** **US D476,034 S**
(45) **Date of Patent:** **** Jun. 17, 2003**

(54) **BARREL END PORTION FOR A WRITING INSTRUMENT**

(75) Inventor: **Volkmar Rommel,**
Schwaebisch-Gmuend (DE)

(73) Assignee: **Merz & Krell GmbH & Co. KGaA,**
Gross-Bieberau (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/160,942**

(22) Filed: **May 20, 2002**

Related U.S. Application Data

(63) Continuation of application No. 29/133,282, filed on Nov. 27, 2000.

(30) **Foreign Application Priority Data**

May 27, 2000 (DE) 400 05 107

(51) **LOC (7) Cl.** **19-06**

(52) **U.S. Cl.** **D19/55; D19/50**

(58) **Field of Search** D19/35, 36, 41-51,
D19/53-58, 81-85; 401/6, 7, 88, 99, 209

(56) **References Cited**

U.S. PATENT DOCUMENTS

D46,588 S	10/1914	Boman	
D138,825 S	* 9/1944	Waldinger	D19/50
3,602,600 A	8/1971	Kanski	401/115
D319,845 S	9/1991	Grotsch et al.	D19/48
D332,963 S	2/1993	Anavil et al.	D19/49
D336,491 S	6/1993	Vitrac	D19/43
D342,545 S	12/1993	Kao	D19/48
D345,577 S	3/1994	Hohner	D19/48
D352,960 S	11/1994	Zier	D19/51
D359,758 S	6/1995	Inami	D19/55
D395,674 S	6/1998	Gacia	D19/51
D406,862 S	3/1999	Schmidt et al.	D19/51
D418,163 S	12/1999	Rosen	D19/51
D418,541 S	1/2000	Mayer	D19/50

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

DE	49912108	6/2000
JP	HH10049609	3/1997
XH	DM/047097	12/1998

OTHER PUBLICATIONS

Senator Ideas Promotion 2000, Catalogue, 2000.

Primary Examiner—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Duane Morris, LLP

(57) **CLAIM**

The ornamental design for a barrel end portion for a writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a barrel end portion for a writing instrument according to my new design.

FIG. 2 is a side elevation view thereof.

FIG. 3 is a perspective view from a different point of view than in FIG. 1.

FIG. 4 is a side elevation view of a second embodiment of my new design, having grooves.

FIG. 5 is an elevation view of a further embodiment as attached to a writing instrument body shown in broken lines, the writing instrument body forming no part of the claimed design.

FIG. 6 is a side elevation from the left in FIG. 5, the opposite side being a mirror image of that shown.

FIG. 7 is an elevation view from the rear in FIG. 5.

FIG. 8 is a plan view from below in FIG. 5.

FIG. 9 is a plan view from above in FIG. 5.



FIG. 10 is a perspective view of a further embodiment of my design.

FIG. 11 is a perspective view as in FIG. 10, from a different point of view.

FIG. 12 is a perspective view of a further embodiment of my design; and,

FIG. 13 is a side elevation view of an embodiment of the design as in FIG. 4, except as to the threaded portion.

1 Claim, 5 Drawing Sheets



US D476,034 S

Page 2

U.S. PATENT DOCUMENTS

D418,873 S	1/2000	Shen	D19/51	D441,017 S	*	4/2001	Gault et al.	D19/50
D425,559 S	5/2000	Beneyto	D19/51	D443,896 S		6/2001	Briggl et al.	D19/49
D430,209 S	*	8/2000	Rommel	6,273,626 B1	*	8/2001	Yazawa	401/6
6,158,910 A	*	12/2000	Jolly et al.	6,390,704 B1	*	5/2002	Baudino et al.	401/6
6,186,685 B1	*	2/2001	Salemme						

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13