



US00D476052S

(12) **United States Design Patent**  
**Barth et al.**

(10) **Patent No.:** **US D476,052 S**

(45) **Date of Patent:** **\*\* Jun. 17, 2003**

(54) **BASEBALL BATTING STRIDE DEVICE**

(76) Inventors: **Gary A. Barth**, 550 Files Rd., Apt.  
E-64, Hot Springs, AR (US) 71913;  
**Greg A. Barth**, 2245 B Tollgate Rd.,  
Huntsville, AL (US) 35801

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/153,402**

(22) Filed: **Jan. 4, 2002**

(51) **LOC (7) Cl.** ..... **21-02**

(52) **U.S. Cl.** ..... **D21/780; D21/698**

(58) **Field of Search** ..... D21/662, 685–687,  
D21/698, 773, 774, 780; D24/190, 192;  
D8/349, 355; D11/200, 201, 206, 215, 216;  
473/215–218, 229, 238, 266, 270–273,  
276, 277, 422, 452, 458, FOR 103, FOR 106;  
482/79, 105, 140

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,372,930 A \* 3/1968 Sertich ..... 473/452

4,602,782 A \* 7/1986 Carlson ..... 482/140

5,062,643 A \* 11/1991 Bibbey et al. .... 473/217

5,318,290 A \* 6/1994 Sawyer ..... 473/217

D363,967 S \* 11/1995 Donohue ..... D21/791

5,582,551 A \* 12/1996 Bursi ..... 473/215 X

D381,081 S \* 7/1997 Okada ..... D24/190

5,704,856 A \* 1/1998 Morse ..... 473/422

D417,954 S \* 12/1999 Pearl-Lee ..... D3/226

6,361,517 B1 \* 3/2002 Slinger ..... 482/79 X

\* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—C Tuttle

(74) Attorney, Agent, or Firm—Joe D. Calhoun

(57) **CLAIM**

The ornamental design for a baseball batting stride device,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view from above and the side,  
looking down (at about 45°) at the invention in an open  
(unbuckled) unused configuration;  
FIG. 2 is a view simmilar to FIG. 1, except with the matable  
half of the hook-and-loop strip in an alternate position,  
threaded through the aperture formed in the end of the  
buckle;  
FIG. 3 is a view similar to FIG. 2, except for the alternate  
position of the strip encircling a batter's foot, the broken  
lines showing the human form being for illustrative purposes  
only; and forming no part of the claimed design; and,  
FIG. 4 is a view simmilar to FIG. 3, except for the alternate,  
mated position of the hook and loop strip.

1 Claim, 2 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4