



US00D476097S

(12) **United States Design Patent**
Yan

(10) **Patent No.:** **US D476,097 S**

(45) **Date of Patent:** **** Jun. 17, 2003**

(54) **INTEGRATED GRAB RAIL AND MAP LIGHT**

Primary Examiner—Marcus A. Jackson

(75) Inventor: **Haithi Yan**, Columbus, OH (US)

(74) *Attorney, Agent, or Firm*—Rankin, Hill, Porter & Clark LLP

(73) Assignee: **Honda Giken Kogyo Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for an integrated grab rail and map light, as shown and described.

(21) Appl. No.: **29/153,212**

(22) Filed: **Jan. 2, 2002**

DESCRIPTION

(51) **LOC (7) Cl.** **26-04**

FIG. 1 is a perspective view showing a first embodiment of the integrated grab rail and map light according to the present invention.

(52) **U.S. Cl.** **D26/28**

FIG. 2 is an elevational view of a front side of the first embodiment of the design, the rear side being identical thereto.

(58) **Field of Search** D26/24–36, 37–50;
362/157, 158, 171, 172, 173, 183–208

FIG. 3 is an elevational view of a right end of the first embodiment.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|----|-----------|---------------------|--------|
| 3,840,250 | A | 10/1974 | Bott | |
| 4,067,602 | A | 1/1978 | Ahlisch et al. | |
| 4,073,036 | A | 2/1978 | Bustin | |
| 4,266,318 | A | 5/1981 | Dauwalder | |
| 4,794,668 | A | 1/1989 | Lorence et al. | |
| 4,912,808 | A | 4/1990 | Blakely | |
| 5,297,010 | A | 3/1994 | Camarota et al. | |
| 5,366,127 | A | 11/1994 | Heinz | |
| 5,519,917 | A | 5/1996 | Cordonnier | |
| D375,371 | S | * 11/1996 | May | D26/28 |
| 5,632,061 | A | 5/1997 | Smith et al. | |
| 5,756,167 | A | 5/1998 | Tamura et al. | |
| 5,931,525 | A | 8/1999 | Rickabus | |
| 6,050,631 | A | 4/2000 | Suzuki et al. | |
| 6,076,233 | A | 6/2000 | Sasaki et al. | |
| 6,106,055 | A | 8/2000 | Fischer | |
| 6,107,084 | A | 8/2000 | Onda et al. | |
| 6,126,231 | A | 10/2000 | Suzuki et al. | |
| 6,199,942 | B1 | 3/2001 | Carroll, III et al. | |
| 6,234,526 | B1 | 5/2001 | Song et al. | |
| D443,939 | S | * 6/2001 | Thomas | D26/28 |
| D468,035 | S | * 12/2002 | Blanc et al. | D26/28 |

FIG. 4 is a top plan view of the first embodiment;

FIG. 5 is an elevational view of a left end of the first embodiment;

FIG. 6 is a perspective view showing a second embodiment of the integrated grab rail and map light according to the present invention.

FIG. 7 is an elevational view of a front side of the second embodiment of the design, the rear side being identical thereto.


FIG. 8 is an elevational view of a right end of the second embodiment.

FIG. 9 is a top plan view of the second embodiment; and, FIG. 10 is an elevational view of a left end of the second embodiment.

The surfaces of portions of the article shown in dashed lines in the drawings are provided for clarity and to show environmental or structural elements that do not form a part of the present design. The surface(s) or portion(s) of the article not shown in the drawing or described in the specification form(s) no part of the claimed design.

* cited by examiner

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 4




FIG. 3




FIG. 2




FIG. 5




FIG. 6




FIG. 9




FIG. 7




FIG. 8




FIG. 10