



US00D476099S

(12) **United States Design Patent**  
**Lin**

(10) **Patent No.:** **US D476,099 S**

(45) **Date of Patent:** **\*\* Jun. 17, 2003**

(54) **EXTERIOR SURFACE CONFIGURATION OF  
A VEHICLE REAR LIGHT**

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(76) **Inventor:** **Yu-Chu Lin**, No. 477, Chung Shan N.  
Rd., Yung Kang City, Tainan Hsien  
(TW)

(57) **CLAIM**

The ornamental design for an exterior surface configuration  
of a vehicle rear light, as shown and described.

(\*\*) **Term:** **14 Years**

**DESCRIPTION**

(21) **Appl. No.:** **29/168,522**

FIG. 1 is a perspective view from the front right of an  
exterior surface configuration of a vehicle rear light showing  
my present design;

(22) **Filed:** **Oct. 4, 2002**

FIG. 2 is a front view thereof;

(51) **LOC (7) Cl.** ..... **26-04**

FIG. 3 is a right view thereof; and,

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28-36; 362/61,  
362/80, 81, 82, 83, 83.4, 267, 269, 275

FIG. 4 is a top view thereof.

(56) **References Cited**


This design represents one embodiment of a design for an  
exterior surface configuration of a vehicle rear light. The  
drawings and descriptions represent the right side embodi-  
ment. The design also contemplates a mirror symmetrical  
embodiment on the left side of the vehicle. The dash line  
included denotes environment and is not part of the claimed  
design.

**U.S. PATENT DOCUMENTS**

D391,652 S	*	3/1998	Sacco et al.	.....	D26/28
D439,995 S	*	4/2001	Nakagawa et al.	.....	D26/28
D457,975 S	*	5/2002	Horowitz	.....	D26/28
D465,862 S	*	11/2002	Lin	.....	D26/28

\* cited by examiner

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4