



US00D476104S

(12) **United States Design Patent**  
**Dalton et al.**

(10) **Patent No.:** **US D476,104 S**

(45) **Date of Patent:** **\*\* Jun. 17, 2003**

(54) **LIGHTING DEVICE**

D428,176 S \* 7/2000 Bamber et al. .... D26/46  
D452,022 S \* 12/2001 Osiecki et al. .... D26/48

(75) Inventors: **David R. Dalton**, Turramurra (AU);  
**Angelo Kotsis**, Marrickville (AU)

\* cited by examiner

(73) Assignee: **Eveready Battery Company, Inc.**, St.  
Louis, MO (US)

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Robert W. Welsh

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/164,020**

We claim the ornamental design for a lighting device, as shown.

(22) Filed: **Jul. 17, 2002**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Jan. 25, 2002 (AU) ..... 214/2002

FIG. 1 is a view showing the top, front and a first side of the lighting device of the present invention;

(51) **LOC (7) Cl.** ..... **26-02**

FIG. 2 is a view of the top of the lighting device of the present invention;

(52) **U.S. Cl.** ..... **D26/48**

FIG. 3 is a view of the second side of the lighting device of the present invention;

(58) **Field of Search** ..... D26/37-50; 362/157,  
362/158, 171, 172, 173, 183-208

FIG. 4 is a view of the bottom of the lighting device of the present invention;

(56) **References Cited**


FIG. 5 is a view of the front of the lighting device of the present invention; and,

**U.S. PATENT DOCUMENTS**

FIG. 6 is a view of the back of the lighting device of the present invention.

D394,322 S \* 5/1998 Dalton et al. .... D26/48  
D415,850 S \* 10/1999 Dalton et al. .... D26/48

**1 Claim, 6 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3






Fig. 4





*Fig. 5*



*Fig. 6*