



US00D476106S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D476,106 S**

(45) **Date of Patent:** **** Jun. 17, 2003**

(54) **DETACHABLE COMPUTER LIGHT**

(76) Inventor: **Darren C. Kim**, 527 23rd Ave. Suite
213, Oakland, CA (US) 94606

(**) Term: **14 Years**

(21) Appl. No.: **29/142,477**

(22) Filed: **May 29, 2001**

(51) **LOC (7) Cl.** **26-05**

(52) **U.S. Cl.** **D26/62**

(58) **Field of Search** D26/60-66; 362/269,
362/270, 275, 277, 278, 281, 283, 284,
285, 287, 289, 400, 401, 402, 427, 423,
396, 413, 226, 191

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,651,307	A	*	11/1927	Wilkenson	362/396
4,109,144	A	*	8/1978	Vidmar	362/269
4,167,774	A	*	9/1979	Kauchel et al.	362/396 X
5,101,333	A	*	3/1992	Glassford	362/413
D377,840	S	*	2/1997	Chang	D26/62
5,615,945	A	*	4/1997	Tseng	362/226
D383,235	S	*	9/1997	Murch	D26/60
D392,760	S	*	3/1998	Wu	D26/62
5,823,657	A	*	10/1998	Price et al.	362/191
D412,591	S	*	8/1999	Murch	D26/63
6,079,857	A	*	6/2000	Mendelsohn	362/427

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Jerry H. Noh

(57) **CLAIM**

The ornamental design for a detachable computer light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the computer light device in a first curved configuration;

FIG. 2 is a front view thereof in the first configuration;

FIG. 3 is a right side view thereof in the first configuration;

FIG. 4 is a back view thereof in the first configuration;

FIG. 5 is a left side view thereof in the first configuration

FIG. 6 is a top view thereof in the first configuration;

FIG. 7 is a bottom view thereof in the first configuration;

FIG. 8 is a view of the device in the first configuration shown attached to a laptop computer, said laptop computer not forming part of the invention;


FIG. 9 is a perspective view of the computer light device in an alternate coiled configuration;

FIG. 10 is a perspective view of the computer light device in an alternate straight configuration; and,

FIG. 11 is a perspective view of the computer light device in an alternate “S” shaped configuration.

The portion of the drawings of the figures shown in dotted lines do not form part of the novel design of the present invention.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11