



US00D476212S

(12) **United States Design Patent**  
**Orton**

(10) **Patent No.:** **US D476,212 S**

(45) **Date of Patent:** **\*\* Jun. 24, 2003**

(54) **TRUSS/JOIST HAND HELD POWER SAW  
GUIDE WITH CLAMPING MEANS**

(76) **Inventor:** **Cornell C. Orton**, P.O. Box 84,  
Parowan, UT (US) 84761

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/167,850**

(22) **Filed:** **Sep. 27, 2002**

(51) **LOC (7) Cl.** ..... **08-03**

(52) **U.S. Cl.** ..... **D8/70**

(58) **Field of Search** ..... D8/70, 61, 62,  
D8/63, 64, 65, 66, 67, 68, 69, 354, 355;  
33/474, 479, 628; 83/640, 455, 471.3, 486.1,  
522.15, 522.18, 522.19, 581, 574, 745;  
D15/138

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,535,042	A	*	4/1925	Sadler	.....	33/628
2,489,420	A	*	11/1949	Kirk et al.	.....	83/486.1
2,527,754	A	*	10/1950	McDermett	.....	83/486.1
2,596,524	A	*	5/1952	Bridwell	.....	83/486.1
2,625,184	A	*	1/1953	Harbert	.....	83/486.1
2,661,034	A	*	12/1953	MacDonald	.....	83/486.1
2,773,523	A	*	12/1956	Hopla	.....	83/574
3,739,678	A	*	6/1973	Kankaanpaa	.....	83/471.3
3,977,080	A	*	8/1976	Allaire	.....	D8/70
4,056,028	A	*	11/1977	Patterson	.....	83/745
4,095,632	A		6/1978	Raulinaitis		
4,135,419	A		1/1979	Chapin		
4,751,865	A	*	6/1988	Buckalew	.....	83/486.1

4,843,728	A	*	7/1989	Francis	.....	33/640
5,182,975	A	*	2/1993	Warner	.....	83/745
5,226,345	A	*	7/1993	Gamble	.....	83/745
5,293,801	A	*	3/1994	Dritenbas	.....	83/486.1
5,390,425	A	*	2/1995	Gilberts	.....	83/745
5,427,006	A		6/1995	Finley		
D363,239	S	*	10/1995	Spirer et al.	.....	D15/138
D365,582	S	*	12/1995	McDaniel	.....	D15/138
5,509,338	A		4/1996	Ekker		
5,537,903	A		7/1996	Brewer		
5,566,456	A		10/1996	Sawyer, Jr.		
5,704,263	A		1/1998	Swanberg		
5,787,782	A		8/1998	Downward et al.		
5,815,931	A		10/1998	Cleveland		
6,101,729	A	*	8/2000	Stringari	.....	83/745

\* cited by examiner

*Primary Examiner*—Doris V. Coles  
*Assistant Examiner*—T. Chase Nelson  
(74) *Attorney, Agent, or Firm*—Norman B. Rainer


(57) **CLAIM**


The ornamental design for a truss/joist hand held power saw guide with clamping means, as shown and described.

**DESCRIPTION**


FIG. 1 is a top view of a truss/joist hand held power saw guide with clamping means showing my new design; FIG. 2 is a front end view thereof; FIG. 3 is a rear end view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; and, FIG. 6 is a bottom view thereof.

**1 Claim, 3 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*