



US00D476241S

(12) **United States Design Patent**
Craig

(10) **Patent No.:** **US D476,241 S**

(45) **Date of Patent:** **** Jun. 24, 2003**

(54) **DEVICE FOR OVERFLOW TESTING**

(75) Inventor: **Roger W. Craig**, 6309 Kentucky Pl.,
Merrillville, IN (US) 46410

(73) Assignee: **Roger W. Craig**, Merrillville, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/158,986**

(22) Filed: **Apr. 12, 2002**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/56; D10/101**

(58) **Field of Search** D10/56, 96, 101;
78/1.73, 305, 309, 312, 314, 319, 322,
322.5, 170.17, 170.21, 170.23, 170.22,
272 R, 273, 290 R, 431; 340/618, 623-625;
200/84 A, 61.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D165,743 S * 1/1952 Dieckmann D10/101
- D357,762 S * 4/1995 Douglas D10/104 X
- D444,079 S * 6/2001 Addink et al. D10/56

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Welsh & Katz, Ltd.;
Thomas W. Tolpin

(57) **CLAIM**

The ornamental design for a device for overflow testing,
substantially as shown and described.

DESCRIPTION

The device for overflow testing is useful to check if the
overflow outlet in a bathtub is working (operational).

FIG. 1 is a perspective view of a device for overflow testing
showing my new design with portions of a bathtub including
an overflow valve and faucet shown in broken line in FIG.
1 for illustrative purposes only and form no part of the
claimed design of FIG. 1;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a left side view thereof; the right side view thereof
being a mirror image and symmetrical to the left side view
thereof;

FIG. 5 is a back view thereof; and,

FIG. 6 is a bottom view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

