



US00D476245S

(12) **United States Design Patent**
Tanaka et al.

(10) **Patent No.:** **US D476,245 S**

(45) **Date of Patent:** **** Jun. 24, 2003**

(54) **INSULATION RESISTANCE TESTER**

(75) Inventors: **Kouichi Tanaka**, Ueda (JP); **Toshio Heishi**, Ueda (JP)

(73) Assignee: **Hioki E.E. Corporation**, Ueda (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/160,873**

(22) Filed: **May 20, 2002**

(30) **Foreign Application Priority Data**

Jan. 11, 2002 (JP) 2002-000556

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/75; D10/78**

(58) **Field of Search** D10/46, 75, 78;
324/502, 705, 707, 712, 713, 722, 514,
551; 200/61.64; 340/640, 658

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,369,371 A * 11/1994 Eaton 324/551 X

D395,834 S * 7/1998 Kumal et al. D10/46

6,498,495 B1 * 12/2002 Bradenbaugh 324/514 X

* cited by examiner

Primary Examiner—Antoine Duval Davis

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi

(57) **CLAIM**

The ornamental design for an insulation resistance tester, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an insulation resistance tester showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a left side view with the front cover thereof being opened;

FIG. 9 is a front view with the front cover thereof being opened and all the display elements on the panel being on; and,

FIG. 10 is a perspective view showing the tester with its cover opened and probes, shown in phantom line, accommodated in the tester.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

