



US00D476355S

(12) **United States Design Patent**
Nielsen

(10) **Patent No.: US D476,355 S**

(45) **Date of Patent: ** Jun. 24, 2003**

(54) **WIRE FRAME FOR SPECTACLES**

(76) Inventor: **Finn Nielsen**, Lijevænget 39, DK-6710
Esbjerg (DK)

(**) Term: **14 Years**

(21) Appl. No.: **29/167,525**

(22) Filed: **Sep. 16, 2002**

(51) **LOC (7) Cl. 16-06**

(52) **U.S. Cl. D16/315; D16/332; D16/334;
D16/335**

(58) **Field of Search D16/300-330,
D16/335, 334, 332-333; 351/41, 44, 51,
52, 103-109, 111, 110, 124, 131, 158, 140**

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,352,887	A	*	9/1920	Galeski		351/131
5,073,020	A		12/1991	Lindberg et al.		
5,135,296	A		8/1992	Lindberg et al.		
D329,446	S	*	9/1992	Negishi		D16/332
5,585,870	A	*	12/1996	Masunaga		351/110
D393,866	S	*	4/1998	Cohen et al.		D16/315
5,880,807	A	*	3/1999	Devercelli		
5,956,116	A	*	9/1999	Ishiyama		351/124
5,997,137	A	*	12/1999	MacIntosh		351/108
6,290,355	B1	*	9/2001	Chen		351/103
6,334,679	B2	*	1/2002	Masunaga		351/41
D455,451	S	*	4/2002	Onodera		D16/334

FOREIGN PATENT DOCUMENTS

EP 0 796 454 B1 5/2002

OTHER PUBLICATIONS

Frames Harley-Davidson Eyewear, rear cover; 1996.*

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—William J. Sapone;
Coleman Sudol Sapone, P.C.

(57) **CLAIM**

The ornamental design for the wire frame for spectacles, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the wire frame for spectacles showing my new design, with the lenses shown in phantom;

FIG. 2 is another front perspective view thereof with alternate lenses shown in phantom;

FIG. 3 is a front perspective view thereof without the lenses;

FIG. 4 is a top view of a left arm wire frame subassembly therefor;

FIG. 5 is a bottom view of the left arm wire frame subassembly;

FIG. 6 is a side view of the left arm wire frame subassembly, the opposite view being a mirror image thereof.

FIG. 7 is a front view of the left arm wire frame subassembly;

FIG. 8 is a rear view of the left arm wire frame subassembly;

FIG. 9 is a top view of a right arm wire frame subassembly therefor;

FIG. 10 is a bottom view of the right arm wire frame subassembly;

FIG. 11 is a side view of the right arm wire frame subassembly, the opposite view being a mirror image thereof.

FIG. 12 is a front view of the right arm wire frame subassembly;

FIG. 13 is a rear view of the right arm wire frame subassembly;

FIG. 14 is a top view of a nose bridge wire frame subassembly therefor;

FIG. 15 is a bottom view of the nose bridge subassembly;


FIG. 16 is a side view of the nose bridge subassembly, the opposite view being a mirror image thereof.

FIG. 17 is a front view of the nose bridge subassembly; and,

FIG. 18 is a rear view of the nose bridge subassembly.

The broken lines shown in FIGS. 1 and 2 are for illustrative purposes only and form no part of the claimed design and the showing of the separate elements in FIGS. 4-18 is for ease of illustration only.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2






Fig. 8




Fig. 7




Fig. 5



Fig. 4




Fig. 6



Fig. 12



Fig. 13




Fig. 17



Fig. 16




Fig. 18



Fig. 14



Fig. 15




Fig. 11




Fig. 9



Fig. 10




Fig. 12



Fig. 13