



US00D476432S

(12) **United States Design Patent** (10) **Patent No.:** **US D476,432 S**
Lin (45) **Date of Patent:** **** Jun. 24, 2003**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE REAR LIGHT**

(76) Inventor: **Yu-Chu Lin**, No. 477, Chung Shan N.
Rd., Yung Kang City, Tainan Hsien
(TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/169,414**

(22) Filed: **Oct. 21, 2002**

(51) **LOC (7) Cl.** **26-04**

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28-36; 362/61,
362/80, 81, 82, 83, 83.4, 267, 269, 275

(56) **References Cited**

U.S. PATENT DOCUMENTS

D467,369 S * 12/2002 Horowitz D26/28
D469,194 S * 1/2003 Horowitz D26/28

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(57) **CLAIM**

The ornamental design for an exterior surface configuration
of a vehicle rear light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the front right of an
exterior surface configuration of a vehicle rear light showing
my present design;


FIG. 2 is a front view thereof;

FIG. 3 is a right view thereof; and,

FIG. 4 is a top thereof.

This design represents one embodiment of a design for an
exterior surface configuration of a vehicle rear light. The
drawings and descriptions represent the right side embodi-
ment. The design also contemplates a mirror symmetrical
embodiment on the left side of the vehicle. The dash line
included denotes environment and is not part of the claimed
design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2





FIG. 3



F I G . 4