



US00D476436S

(12) **United States Design Patent** (10) **Patent No.:** **US D476,436 S**  
**Lin** (45) **Date of Patent:** **\*\* Jun. 24, 2003**

(54) **EXTERIOR SURFACE CONFIGURATION OF A VEHICLE REAR LIGHT**

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(76) **Inventor:** **Yu-Chu Lin**, No. 477, Chung Shan N. Rd., Yung Kang City, Tainan Hsien (TW)

(57) **CLAIM**

The ornamental design for an exterior surface configuration of a vehicle rear light, as shown and described.

(\*\*) **Term:** **14 Years**

**DESCRIPTION**

(21) **Appl. No.:** **29/169,957**

FIG. 1 is a perspective view from the front right of an exterior surface configuration of a vehicle rear light showing my present design;

(22) **Filed:** **Oct. 30, 2002**

FIG. 2 is a front view thereof;

(51) **LOC (7) Cl.** ..... **26-04**

FIG. 3 is a right view thereof; and,

(52) **U.S. Cl.** ..... **D26/28**

FIG. 4 is a top view thereof.

(58) **Field of Search** ..... D26/28–36; 362/61, 362/80, 81, 82, 83, 83.4, 267, 269, 275

This design represents one embodiment of a design for an exterior surface configuration of a vehicle rear light. The drawings and descriptions represent the right side embodiment. The design also contemplates a mirror symmetrical embodiment on the left side of the vehicle. The dash line included denotes environment and is not part of the claimed design.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D456,919 S \* 5/2002 Horowitz ..... D26/28
- D458,701 S \* 6/2002 Horowitz ..... D26/28
- D470,614 S \* 2/2003 Chuang et al. .... D26/28

\* cited by examiner

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4