



US00D476575S

(12) **United States Design Patent**  
**Steele, IV et al.**

(10) **Patent No.: US D476,575 S**

(45) **Date of Patent: \*\* Jul. 1, 2003**

(54) **LIQUID DISPENSER**

(75) Inventors: **William E. Steele, IV**, Fort Worth, TX  
(US); **Phillip D. Livingston**, Dallas, TX  
(US); **Clarence D. Zierhut**, Garland,  
TX (US)

(73) Assignee: **Remington Health Products, L.L.C.**,  
Fort Worth, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/159,914**

(22) Filed: **Apr. 29, 2002**

(51) **LOC (7) Cl. .... 09-01**

(52) **U.S. Cl. .... D9/529; D9/530; D9/560;**  
D9/574

(58) **Field of Search** ..... D9/516, 530-531,  
D9/537-543, 552, 557-558, 565, 570, 574-575;  
215/381-385, 396, 398, 400, 12.1, 12.2;  
D24/127

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|             |           |                  |        |
|-------------|-----------|------------------|--------|
| 525,753 A   | 9/1894    | Turner           |        |
| 526,772 A   | 10/1894   | Dickerson        |        |
| D97,400 S   | * 11/1935 | Lewis            | D9/539 |
| D177,570 S  | * 5/1956  | James            | D7/612 |
| D188,297 S  | * 6/1960  | Pedrick, III     | D9/539 |
| D231,083 S  | * 4/1974  | Campbell         | D9/542 |
| D234,250 S  | * 2/1975  | Holzaepfel       | D9/540 |
| D234,914 S  | * 4/1975  | Morgan           | D9/560 |
| 4,150,761 A | 4/1979    | Collins          |        |
| 4,230,230 A | 10/1980   | Mumford          |        |
| 4,273,247 A | 6/1981    | Earls            |        |
| D276,592 S  | 12/1984   | Cox              |        |
| D285,659 S  | * 9/1986  | Paulovich et al. | D9/574 |
| 4,834,251 A | 5/1989    | Yu               |        |

|             |           |                 |         |
|-------------|-----------|-----------------|---------|
| 4,998,649 A | * 3/1991  | Thanisch        | 222/507 |
| D340,867 S  | 11/1993   | Martin          |         |
| 5,544,768 A | 8/1996    | Gargione        |         |
| D376,541 S  | 12/1996   | Gobe            |         |
| D378,193 S  | 2/1997    | Gobe            |         |
| D378,662 S  | 4/1997    | Gobe            |         |
| D379,930 S  | 6/1997    | Gobe            |         |
| D381,271 S  | 7/1997    | Paoloski        |         |
| D385,041 S  | * 10/1997 | Sanfilippo      | D24/197 |
| D392,390 S  | * 3/1998  | Chan et al.     | D24/197 |
| 5,735,417 A | * 4/1998  | Darr et al.     | 215/216 |
| D399,756 S  | * 10/1998 | Lonczak et al.  | D9/574  |
| D423,107 S  | * 4/2000  | Brown et al.    | D24/197 |
| 6,102,223 A | * 8/2000  | Montgomery      | 215/216 |
| D440,157 S  | * 4/2001  | Lichtman et al. | D9/539  |
| D446,727 S  | 8/2001    | Cummings        |         |
| D453,892 S  | * 2/2002  | Lindsay et al.  | D7/596  |

**OTHER PUBLICATIONS**

U.S. patent application ser. No. 29/159,930 filed Apr. 29, 2002, entitled *Top Portion of a Liquid Dispenser*, by Steele, et al.

\* cited by examiner

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski LLP


(57) **CLAIM**


The ornamental design for a liquid dispenser, as shown.

**DESCRIPTION**


FIG. 1 is a perspective view of the ornamental design of a liquid dispenser showing our new design; FIG. 2 is a front view of the liquid dispenser; FIG. 3 is a side view of the liquid dispenser; FIG. 4 is a top view of the liquid dispenser; and, FIG. 5 is a bottom view of the liquid dispenser.

**1 Claim, 2 Drawing Sheets**





*FIG. 1*



*FIG. 2*




FIG. 3




FIG. 4




FIG. 5