

(12) United States Design Patent (10) Patent No.: US D476,581 S Calvani et al. (45) Date of Patent: ** Jul. 1, 2003

(54) WATCH CASE

- (75) Inventors: Maria Christina Calvani, Chambesy (CH); Eric Bertrand, Geneva (CH)
- (73) Assignee: Rolex Watch U.S.A., Inc., New York, NY (US)
- (**) Term: 14 Years

Primary Examiner—Nelson C. Holtje (74) Attorney, Agent, or Firm—Morgan & Finnegan, LLP

(57) **CLAIM**

I claim the ornamental design for a watch case, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing our new design for a watch case;

(21) Appl. No.: 29/157,694

(22) Filed: Mar. 22, 2002

- - 368/280–282, 276–277, 285, 294–295

(56) **References Cited**

U.S. PATENT DOCUMENTS

D250,749 S	*	1/1979	Perrin D10/39
D250,809 S	*	1/1979	Perrin D10/39
D328,866 S	*	8/1992	Deleskiewicz D10/39
D368,432 S		4/1996	Takashi D10/31
D380,394 S	*	7/1997	Ludvig D10/32
D455,969 S	*	4/2002	Wilson D10/32

OTHER PUBLICATIONS

Jeweler's Circular—Keystone—Sep. 1978—p. 127—watch at top-left.*

Swiss Watch & Jewelry Journal—Feb. 1995—p.97 watches.* FIG. 2 is a top plan view thereof;

FIG. 3 is a right plan view of a first embodiment of the watch case;

FIG. 4 is a left plan view of the first embodiment of the watch case;

FIG. 5 is a front plan view of the first embodiment of the watch case;

FIG. 6 is a rear plan view of the first embodiment of the watch case;

FIG. 7 is a bottom plan view of the first embodiment of the watch case;

FIG. 8 is a right plan view showing an alternate environment;

FIG. 9 is a left plan view showing the alternate environment; FIG. 10 is a front plan view showing the alternate environment;

FIG. 11 is a rear plan view showing the alternate environment; and,

FIG. 12 is a bottom plan vie showing the alternate environment.

The broken line showing of FIGS. 1, 2, and 7-12 is for illustrative purposes only and forms no part of the claimed design.

Swiss Watch & Jewely Journal—Feb. 1986—p. 356— watches at top.*

* cited by examiner

1 Claim, 4 Drawing Sheets



U.S. Patent US D476,581 S Jul. 1, 2003 Sheet 1 of 4 FIG. 1 · · • • • • . 1.1 U













U.S. Patent Jul. 1, 2003 Sheet 2 of 4 US D476,581 S

FIG. 5











U.S. Patent Jul. 1, 2003 Sheet 3 of 4 US D476,581 S

FIG. B



U.S. Patent Jul. 1, 2003 Sheet 4 of 4 US D476,581 S

FIG. 9



FIG. 10











