



US00D476620S

(12) **United States Design Patent**
Tada et al.

(10) **Patent No.:** **US D476,620 S**
(45) **Date of Patent:** **** Jul. 1, 2003**

(54) **BATTERY**
(75) **Inventors:** **Futoshi Tada**, Osaka (JP); **Kenji Yamamoto**, Osaka (JP); **Susumu Kato**, Osaka (JP)

4,394,059 A * 7/1983 Reynolds 439/500
4,602,202 A * 7/1986 Mundschenk et al. 320/2
5,134,046 A * 7/1992 Chow et al. 429/176
5,143,804 A * 9/1992 McArthur et al. 429/148
5,421,743 A * 6/1995 Hwang 439/500
5,908,328 A * 6/1999 Chen 439/500

(73) **Assignee:** **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Joel Sincavage
(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

(21) **Appl. No.:** **29/164,516**

(57) **CLAIM**

(22) **Filed:** **Jul. 25, 2002**

The ornamental design for a battery, as shown and described.

(51) **LOC (7) Cl.** **13-02**

DESCRIPTION

(52) **U.S. Cl.** **D13/103; D13/120**

(58) **Field of Search** D13/120, 133, D13/103; D11/220; 439/500, 775, 799, 816–818, 834, 848, 856, 857, 859, 860; 429/121, 178; 24/108, 662, 672, 677, 681

FIG. 1 is a perspective view of the top, front and left side of a battery showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top plan thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a right side view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,347,709 A * 10/1967 Taylor et al. 429/153
4,147,838 A * 4/1979 Leffingwell 429/178 X
D252,990 S * 9/1979 Gietzen D13/120
4,226,497 A * 10/1980 Polonsky et al. 439/677
4,239,322 A * 12/1980 Gordon, Jr. 439/458

The elements shown in phantom lines do not form any part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

