



US00D476856S

(12) **United States Design Patent**
Belton et al.

(10) **Patent No.: US D476,856 S**

(45) **Date of Patent: ** Jul. 8, 2003**

(54) **TOP FOR A BEVERAGE BOTTLE INSULATOR**

(75) Inventors: **Antonio J. Belton**, Hazel Crest, IL (US); **Philip M. Holsinger**, Chicago, IL (US); **Mark D. Finney**, Evanston, IL (US)

(73) Assignee: **Thermos L.L.C.**, Rolling Meadows, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/160,734**

(22) Filed: **May 15, 2002**

(51) **LOC (7) Cl. 07-01**

(52) **U.S. Cl. D7/605**

(58) **Field of Search** D7/605-608, 619-625, D7/509-511; 62/457.1-457.4; 220/737, 739, 741, 742, 592.16, 592.2, 592.24-592.27; 215/395

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,096,911 A * 7/1963 Finch et al. D7/622 X
D398,195 S * 9/1998 Rausch D7/607 X

* cited by examiner

Primary Examiner—Terry A. Wallace
(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark & Mortimer

(57) **CLAIM**


The ornamental design of a top for a beverage bottle insulator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from above the top of our top for a beverage bottle insulator design;
FIG. 2 is a side elevation of our top for a beverage bottle insulator design, it being understood that the diametrically opposite side is substantially identical to this figure;
FIG. 3 is a side elevation of our top for a beverage bottle insulator design taken at approximately 90° to FIG. 2, it being understood that the diametrically opposite side is substantially identical to this figure; and,
FIG. 4 is a plan view of our top for a beverage bottle insulator design.

It is to be understood that the bottom of our top for a beverage bottle insulator design is plain and unornamented. The broken lines showing a bottle underneath the claimed design are for illustrative purposes only and form no part of the claimed design. The dashed lines on the claimed article are to represent conventional stitching.

1 Claim, 2 Drawing Sheets






Fig. 1

