



US00D476884S

(12)

United States Design Patent
Miranda

(10) Patent No.:

US D476,884 S

(45) Date of Patent:

**** Jul. 8, 2003**

(54)

CONTAINER-LID ASSEMBLY

(75)

Inventor: **Renato Miranda**, Sao Paulo (BR)

(73)

Assignee: **Globalpack Industria e Comercio LTDA.**, Sao Paulo (BR)

(**) Term:

14 Years

(21)

Appl. No.: **29/155,503**

(22)

Filed: **Feb. 11, 2002**

(30)

Foreign Application Priority Data

Aug. 31, 2001 (BR)

DI 6102688

(51)

LOC (7) Cl. 09-03

(52)

U.S. Cl. D9/338

(58)

Field of Search D9/337-339, 503, D9/504, 529, 530, 537, 539, 540, 542-543, 549-550, 573-575; 206/204, 37-38, 438, 527; 215/200, 205, 231, 260, 270-271, 316, 329, 400; 220/200, 213, 288-289, 290, 890; 221/208, 289, 293; 222/173, 175, 181.1, 465.1, 575

(56)

References Cited

U.S. PATENT DOCUMENTS

D214,994 S * 8/1969 Goldman

D9/129

D251,182 S * 2/1979 Angleman et al.

D9/504

D255,654 S * 7/1980 Goss

D9/529

D279,650 S * 7/1985 Aldrich, III et al.

D9/529

D317,118 S * 5/1991 Crawford

D9/338

D330,860 S * 11/1992 Gatrost

D9/529

D346,112 S * 4/1994 Alcindor

D9/338

* cited by examiner

Primary Examiner—Nanda Bondade

Assistant Examiner—Daniel Bui

(74) Attorney, Agent, or Firm—Darby & Darby

(57)


CLAIM

The ornamental design for a container-lid assembly, as shown and described.

DESCRIPTION

The new design is applied to a container-lid assembly of the roll-on type, said container being shaped in order to be seated on the lid, in an inverted position when in an inoperative condition. The present container-lid assembly will be illustrated below by the attached drawings, in which: FIGS. 1, 2, and 3 are perspective views of the container-lid assembly taken at different positions; FIG. 4 is a lateral elevational view of the container-lid assembly of FIGS. 1-3; FIG. 5 is a similar view to that of FIG. 4, but illustrating the container-lid assembly turned by 90 degrees; FIGS. 6 and 7 are similar views to those of FIGS. 4 and 5, respectively, but illustrating the container-lid assembly in the exploded condition, in order to illustrate the ball surface portion projecting partially outwardly from the container of the present assembly; and, FIG. 8 is a bottom plan view only of the container of the container-lid assembly of the previous figures.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8