US00D476897S

(12) United States Design Patent

Brozell

(10) Patent No.: US D476,897 S
(45) Date of Patent: ** Jul. 8, 2003

(54) **COMBINED CONTAINER AND CLOSURE**

(75) Inventor: **Leonora M. Brozell**, Maumee, OH (US)

(73) Assignee: **Owens-Illinois Closure Inc.**, Toledo, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/151,403**

(22) Filed: **Nov. 8, 2001**

(51) **LOC (7) Cl.** **09-01**
(52) **U.S. Cl.** **D9/521**; D9/529
(58) **Field of Search** D9/516, 521, 529, D9/549, 550, 557, 558, 571, 574, 575, 338, 449; 215/383–384, 396, 398, 400; 222/206, 214, 215; 220/660, 675

(56) **References Cited**

U.S. PATENT DOCUMENTS

D37,578	S	*	10/1905	Bradley	D9/558 X
3,369,720	A		2/1968	Libit et al.	
D258,051	S		1/1981	Bakus	
D324,998	S		3/1992	Klapwald	
5,105,989	A	*	4/1992	Gutkowski	222/182
D337,527	S		7/1993	Klapwald	
D343,358	S		1/1994	Lay et al.	
D353,332	S		12/1994	Behm et al.	
D355,121	S		2/1995	Kohl	
D355,363	S	*	2/1995	Iorii et al.	D9/521
D363,431	S		10/1995	Mansau	
5,503,309	A		4/1996	Oder et al.	
D369,942	S		5/1996	Ahern, Jr.	
D372,196	S		7/1996	Gerhart et al.	
D372,198	S	*	7/1996	Lathrop et al.	D9/558
D375,899	S		11/1996	Gerhart et al.	
D379,434	S		5/1997	Robbins, III et al.	
D380,159	S	*	6/1997	Lathrop et al.	D9/558
D382,802	S		8/1997	Lambrecht	
D385,493	S		10/1997	Zhang	
D386,089	S	*	11/1997	Rosen et al.	D9/542
D389,064	S	*	1/1998	Sethi et al.	D9/521
D392,561	S		3/1998	Markey et al.	
D406,533	S		3/1999	Maus	
D406,771	S		3/1999	Weber	
D409,489	S		5/1999	Blades	
D411,744	S		6/1999	Brach et al.	
5,927,535	A		7/1999	Goth	
D413,064	S		8/1999	Bansal	
D425,426	S	*	5/2000	Weber	D9/521
D428,816	S		8/2000	Shiokawa et al.	
D439,165	S		3/2001	Erckelbout et al.	
D451,809	S	*	12/2001	Jones	D9/521
D463,280	S	*	9/2002	Brozell	D9/449
D463,291	S	*	9/2002	Kokubo et al.	D9/558

* cited by examiner

Primary Examiner—Nanda Bondade
Assistant Examiner—Carol Rademaker

(57) **CLAIM**

I claim the ornamental design for a combined container and closure, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a combined container and closure in accordance with the present invention.
FIG. **2** is a front elevational view of the combined container and closure in FIG. **1**.
FIG. **3** is a top plan view of the combined container and closure of FIGS. **1** and **2**.
FIG. **4** is a side elevational view of the combined container and closure of FIGS. **1–3**, the opposing side elevational view being a mirror image of FIG. **4**.
FIG. **5** is a rear elevational view of the combined container and closure of FIGS. **1–4**.
FIG. **6** is a bottom plan view of the combined container and closure of FIGS. **1–5**; and,
FIG. **7** is a front perspective view of the combined container and closure, with the closure portion having been removed for clarity of illustration.

1 Claim, 3 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG.7