



US00D476923S

(12) **United States Design Patent**
Boyer

(10) **Patent No.:** **US D476,923 S**

(45) **Date of Patent:** **** Jul. 8, 2003**

(54) **SURFACE CONFIGURATION OF A VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) Inventor: **Boyke Boyer**, Ismaning (DE)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/168,898**

(22) Filed: **Oct. 11, 2002**

(30) **Foreign Application Priority Data**

Apr. 16, 2002 (DE) 4 02 03 456

(51) **LOC (7) Cl.** **12-08**

(52) **U.S. Cl.** **D12/92**

(58) **Field of Search** D12/90-92, 86;
296/185

(56) **References Cited**

U.S. PATENT DOCUMENTS

D431,497 S	*	10/2000	Weidhase	D12/92
D436,060 S	*	1/2001	Pfeiffer	D12/92
D445,725 S	*	7/2001	Goplen	D12/92
D448,324 S	*	9/2001	Gabath	D12/92

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications, of the inventor: Application Ser. No. 29/168,

899, entitled “Surface Configuration of a Hood for a Vehicle;”, Application Ser. No. 29/168,900, entitled “Surface Configuration of a Trunk Lid for a Vehicle;”, Application Ser. No. 29/168,901, entitled “Surface Configuration of a Front Fender for a Vehicle;”, Application Ser. No. 29/168,894, entitled “Surface Configuration of a Rear Fender for a Vehicle;”, Application Ser. No. 168,893, entitled “Surface Configuration of a Front Bumper for a Vehicle;”, Application Ser. No. 29/168,892, entitled “Surface Configuration of a Side Mirror for a Vehicle;”, Application Ser. No. 29/168,896, entitled “Surface Configuration for a Rear Bumper for a Vehicle;”, Application Ser. No. 29/168,897, entitled “Surface Configuration of a Door for a Vehicle;” and, Application Ser. No. 29/168,895, entitled “Surface Configuration of a Door for a Vehicle.”

FIG. 1 is a front, left perspective view of a surface configuration of a vehicle, toy and/or other replicas, according to my novel design, the front, right perspective view being mirror symmetrical;

FIG. 2 is a rear, left perspective view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 3 is a left side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 4 is a right side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;


FIG. 5 is a front view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 6 is a rear view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design.

The broken lines included depict environment and are not part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7