



US00D476923S

(12) **United States Design Patent**  
**Boyer**

(10) **Patent No.: US D476,923 S**

(45) **Date of Patent: \*\* Jul. 8, 2003**

(54) **SURFACE CONFIGURATION OF A  
VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) **Inventor: Boyke Boyer, Ismaning (DE)**

(73) **Assignee: Bayerische Motoren Werke  
Aktiengesellschaft, Munich (DE)**

(\*\*) **Term: 14 Years**

(21) **Appl. No.: 29/168,898**

(22) **Filed: Oct. 11, 2002**

(30) **Foreign Application Priority Data**

Apr. 16, 2002 (DE) ..... 4 02 03 456

(51) **LOC (7) Cl. .... 12-08**

(52) **U.S. Cl. .... D12/92**

(58) **Field of Search ..... D12/90-92, 86;  
296/185**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D431,497 S \* 10/2000 Weidhase ..... D12/92  
D436,060 S \* 1/2001 Pfeiffer ..... D12/92  
D445,725 S \* 7/2001 Goplen ..... D12/92  
D448,324 S \* 9/2001 Gabath ..... D12/92

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

**DESCRIPTION**

This application is related to the following co-pending applications, of the inventor: Application Ser. No. 29/168,

899, entitled “Surface Configuration of a Hood for a Vehicle;”, Application Ser. No. 29/168,900, entitled “Surface Configuration of a Trunk Lid for a Vehicle;”, Application Ser. No. 29/168,901, entitled “Surface Configuration of a Front Fender for a Vehicle;”, Application Ser. No. 29/168,894, entitled “Surface Configuration of a Rear Fender for a Vehicle;”, Application Ser. No. 168,893, entitled “Surface Configuration of a Front Bumper for a Vehicle;”, Application Ser. No. 29/168,892, entitled “Surface Configuration of a Side Mirror for a Vehicle;”, Application Ser. No. 29/168,896, entitled “Surface Configuration for a Rear Bumper for a Vehicle;”, Application Ser. No. 29/168,897, entitled “Surface Configuration of a Door for a Vehicle;” and, Application Ser. No. 29/168,895, entitled “Surface Configuration of a Door for a Vehicle.”

FIG. 1 is a front, left perspective view of a surface configuration of a vehicle, toy and/or other replicas, according to my novel design, the front, right perspective view being mirror symmetrical;

FIG. 2 is a rear, left perspective view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 3 is a left side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 4 is a right side view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;


FIG. 5 is a front view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 6 is a rear view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design.

The broken lines included depict environment and are not part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7