

US00D476928S

(12) United States Design Patent (10) Patent No.: Boyer (45) Date of Patent (10) Patent No.:

(54)	SURFACE CONFIGURATION OF A REAR
	BUMPER FOR A VEHICLE

(75) Inventor: **Boyke Boyer**, Ismaning (DE)

(73) Assignee: Bayerische Motoren Werke Aktiengesellschaft, Munich (DE)

(**) Term: 14 Years

(21) Appl. No.: 29/168,896

Apr. 16, 2002

(22) Filed: Oct. 11, 2002

(30) Foreign Application Priority Data

(51)	LOC (7) Cl	12-16
(52)	U.S. Cl	D12/169
(58)	Field of Search	D12/169, 196,
` ′	D12/90-92	; 296/180.1, 180.2; 293/113,
		115, 120, 117, 102

(DE) 4 02 03 456

(56) References Cited

U.S. PATENT DOCUMENTS

D452,670 S	*	1/2002	Ishii et al	D12/169
D461,149 S	*	8/2002	Sinkwitz	D12/169

(10) Patent No.:	US	D476,928 S
(45) Date of Patent:	**	Jul. 8, 2003

D462,038 S	*	8/2002	Yokomaku	D12/169
D467,205 S	*	12/2002	Warming	D12/169
D467.528 S	*	12/2002	Murkett	D12/169

^{*} cited by examiner

Primary Examiner—Melody N. Brown

(74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57) CLAIM

The ornamental design for a surface configuration of a rear bumper for a vehicle, as shown and described.

DESCRIPTION

This application is related to co-pending Application Ser. No. 29/168,898, of the inventor, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas." FIG. 1 is a right perspective view of a surface configuration of a rear bumper for a vehicle according to my novel design; FIG. 2 is a front view of the surface configuration of a rear bumper for a vehicle according to my novel design; and, FIG. 3 is a left side view of the surface configuration of a rear bumper for a vehicle according to my novel design. The broken lines included depict environment and are not part of the claimed design.

1 Claim, 2 Drawing Sheets







