



US00D476936S

(12) **United States Design Patent** (10) **Patent No.:** **US D476,936 S**  
**Boyer** (45) **Date of Patent:** **\*\* Jul. 8, 2003**

(54) **SURFACE CONFIGURATION OF A TRUNK LID FOR A VEHICLE**

(75) Inventor: **Boyke Boyer**, Ismaning (DE)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/168,900**

(22) Filed: **Oct. 11, 2002**

(30) **Foreign Application Priority Data**

Apr. 16, 2002 (DE) ..... 4 02 03 456

(51) **LOC (7) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/196**

(58) **Field of Search** ..... D12/196, 90-92;  
296/185

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D375,715 S \* 11/1996 Nagashima ..... D12/196  
D414,734 S \* 10/1999 Bangle ..... D12/196  
D419,510 S \* 1/2000 Sacco et al. .... D12/196

D440,532 S \* 4/2001 Sacco et al. .... D12/196  
D448,324 S \* 9/2001 Gabath ..... D12/196  
D452,468 S \* 12/2001 Sacco et al. .... D12/196

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a trunk lid for a vehicle, as shown and described.

**DESCRIPTION**

This application is related to co-pending Application Ser. No. 29/168,898, of the inventor, entitled “Surface Configuration of a Vehicle, Toy and/or Other Replicas.”


FIG. 1 is a perspective view of a surface configuration of a trunk lid for a vehicle according to my novel design;

FIG. 2 is a front view of the surface configuration of a trunk lid for a vehicle according to my novel design; and,

FIG. 3 is a top view of the surface configuration of a trunk lid for a vehicle according to my novel design.

The broken lines included depict environment and are not part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3