



US00D477144S

(12) **United States Design Patent**  
**Remmers**

(10) **Patent No.:** **US D477,144 S**

(45) **Date of Patent:** **\*\* Jul. 15, 2003**

(54) **WIRE BASKET**

(75) Inventor: **Lee E Remmers**, Ocala, FL (US)

(73) Assignee: **Emerson Electric Co.**, St. Louis, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/163,030**

(22) Filed: **Jun. 26, 2002**

(51) **LOC (7) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/306**

(58) **Field of Search** ..... D3/304–306, 314; 206/509, 512, 513, 557, 821; 220/485, 491–494; D6/511, 566

5,086,936 A 2/1992 Remmers ..... 211/126

5,222,612 A 6/1993 Binder ..... 211/153

5,230,554 A 7/1993 Camilleri ..... 312/334.6

5,243,736 A 9/1993 Cannaday et al. .... 16/82

5,330,063 A 7/1994 Remmers ..... 211/162

5,407,084 A 4/1995 Remmers ..... 211/183

5,421,647 A 6/1995 Simons ..... 312/265.1

5,472,270 A 12/1995 Czarnecky et al. .... 312/265.6

5,486,046 A 1/1996 Jernstrom et al. .... 312/408

5,490,724 A 2/1996 Domenig ..... 312/334.45

5,607,213 A 3/1997 Slivon et al. .... 312/301

5,810,179 A 9/1998 Kleiman ..... 211/88.01

5,927,838 A 7/1999 Hellman, Jr. .... 312/257.1

5,984,442 A 11/1999 Hellman, Jr. .... 312/334.12

6,401,950 B1 \* 6/2002 Chiang ..... 220/485

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz  
*Assistant Examiner*—Deanne Levy

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,585,428 A \* 2/1952 Bitney ..... 206/513

2,606,091 A 8/1952 Buchy et al. .... 312/346

2,822,232 A 2/1958 Lhota ..... 312/341

2,968,418 A \* 1/1961 Stoddard ..... 206/509

3,003,841 A 10/1961 Branche et al. .... 312/348

3,099,501 A 7/1963 Hillson et al. .... 308/3.8

3,519,319 A 7/1970 Taylor ..... 312/246

3,792,796 A \* 2/1974 Woodruff et al. .... 220/495

4,070,076 A 1/1978 Zwilling ..... 312/350

4,114,945 A 9/1978 Lutz ..... 296/137

4,121,878 A 10/1978 Lokken ..... 312/341

4,549,771 A 10/1985 Crosaonneau ..... 308/3

D296,601 S \* 7/1988 Chap ..... D3/306

4,795,041 A 1/1989 Remmers ..... 211/133

(57) **CLAIM**

The ornamental design for a wire basket, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front perspective view of the wire basket, showing my new design;


FIG. 2 is a side elevation view;

FIG. 3 is a top plan view; and,

FIG. 4 is a bottom plan view.

The surface shading on the illustrated wire basket is intended only to show the character and contour of the surfaces and not surface indicia.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG.3




FIG.4