



US00D477209S

(12) **United States Design Patent**  
**Yu et al.**

(10) **Patent No.:** **US D477,209 S**

(45) **Date of Patent:** **\*\* \*Jul. 15, 2003**

(54) **LOCK BODY**

(76) Inventors: **Chun Te Yu**, 41-21, Guan Tso Street, Fu Shing, Changhwa (TW), 506; **Ming Chang Shih**, No. 3, Lane 438, Minsheng Rd., Changhwa City (TW), 500

(\* ) Notice: This patent is subject to a terminal disclaimer.

(\*\* ) Term: **14 Years**

(21) Appl. No.: **29/149,717**

(22) Filed: **Oct. 17, 2001**

(51) **LOC (7) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/334**

(58) **Field of Search** ..... D8/330, 331, 334; 70/20, 21, 22, 24-29, 30, 50, 52

*Primary Examiner*—Brian N. Vinson  
*(74) Attorney, Agent, or Firm*—Rosenberg, Klein & Lee


(57) **CLAIM**

The ornamental design for a lock body, as shown and described.

**DESCRIPTION**

FIG. 1 is a front-right-top perspective view of a lock body, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a perspective view showing an embodiment of the claimed design, wherein the broken lines are shown for illustrative purposes only and form no part of the claimed design; and,  
FIG. 9 is a perspective view showing an embodiment of the claimed design, wherein the broken lines are shown for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9