

(12) United States Design Patent (10) Patent No.: US D477,529 S Chan (45) Date of Patent: ** Jul. 22, 2003

(57)

(54) CANDY CONTAINER

(76) Inventor: Pak Nin Chan, Unit A, Chuan Yuan
Factory Building, 8/F, 342-344 Kwun
Tong Road, Kwun Tong, Kowloon (HK)

(**) Term: 14 Years

- (21) Appl. No.: **29/168,806**
- (22) $E_{1,2}^{(1)}$ Oct 0 2002

CLAIM

The ornamental design for a candy container, substantially as shown and described.

DESCRIPTION

FIG. 1 is a pictorial view of the container showing a moveable handle on the container projecting laterally outwardly from the container; FIG. 2 is a first side elevational view of the container shown y FIG. 1, the second side elevational view being a mirror nage of the first side elevational view; IG. 3 is an elevational view looking towards a portion of e container to which the handle is attached; IG. 4 is an elevational view looking towards the container om a side of the container that is diametrically opposite the andle; IG. 5 is a top plan view of the container shown by FIGS. **-4**; IG. 6 is a bottom plan view of the container shown by IGS. 1–5; G. 7 is a view like FIG. 1 but showing the flexible handle oved downwardly into a second position; IG. 8 is a view like FIG. 2, but showing the handle position FIG. 7; IG. 9 is a view like FIG. 3, but showing the handle in the cond position; IG. 10 is a view like FIG. 4, but showing the handle in the cond position; IG. 11 is a view like FIG. 5, but showing the handle in the

second position; and, FIG. 12 is a view like FIG. 6 but showing the handle in the second position. The broken line showings are for illustrative purposes only, and form no part of the claimed design.

D468,631 S * 1/2003 Hart et al. D9/311

* cited by examiner

Primary Examiner—Sandra L. Morris (74) Attorney, Agent, or Firm—Delbert J. Barnard

1 Claim, 4 Drawing Sheets



U.S. Patent Jul. 22, 2003 Sheet 1 of 4 US D477,529 S





U.S. Patent Jul. 22, 2003 Sheet 2 of 4 US D477,529 S



U.S. Patent US D477,529 S Jul. 22, 2003 Sheet 3 of 4









•

U.S. Patent US D477,529 S Jul. 22, 2003 Sheet 4 of 4









