



US00D477559S

(12) **United States Design Patent**
Hovland

(10) **Patent No.:** **US D477,559 S**

(45) **Date of Patent:** **** Jul. 22, 2003**

(54) **COMBINATION EMERGENCY INFLATABLE
FLOTATION STABILIZER AND
COMPRESSOR FOR WATER CRAFT**

5,101,753 A 4/1992 Hull et al.
5,357,890 A 10/1994 Mason, Jr. et al.
5,515,802 A * 5/1996 Bree 114/123
D394,633 S * 5/1998 Gauthier et al. D12/316

(76) **Inventor:** **Henning Hovland**, 458 1st St. NW.,
Grand Rapids, MI (US) 49504

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Holly Baynham
(74) *Attorney, Agent, or Firm*—Donald R. Schoonover

(21) **Appl. No.:** **29/163,872**

(57) **CLAIM**

(22) **Filed:** **Jul. 15, 2002**

The ornamental design for a combination emergency inflatable flotation stabilizer and compressor for water craft, as shown and described.

(51) **LOC (7) Cl.** **12-06**

(52) **U.S. Cl.** **D12/316**

(58) **Field of Search** D12/316; 114/219,
114/123

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

1,125,881 A	*	1/1915	Pivarchy	114/123
2,319,132 A	*	5/1943	Hood	114/123
2,764,766 A		10/1956	Boyle et al.	
3,026,548 A	*	3/1962	Dollinger	441/115
3,804,049 A	*	4/1974	Greer	114/67 A
4,329,751 A		5/1982	Cigognetti	
D293,778 S		1/1988	Curbow	
4,838,196 A		6/1989	Ingram	
4,862,818 A		9/1989	Sullivan	

FIG. 1 is a perspective view of the combination emergency inflatable flotation stabilizer and compressor for water craft embodying the design of the present invention;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof; the broken lines depict environmental structure and form no part of the claimed design;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1.




FIG. 7.

FIG. 2.




FIG. 3.




FIG.4.




FIG. 6.




FIG. 5.