



US00D477577S

(12) **United States Design Patent**
Mayo et al.

(10) **Patent No.:** **US D477,577 S**
(45) **Date of Patent:** **** Jul. 22, 2003**

(54) **SWITCH**

4,159,563 A 7/1979 Bauer et al. 29/622

(75) Inventors: **Noel Mayo**, Philadelphia, PA (US);
Jason O. Adams, Emmaus, PA (US);
Carl W. Gomes, Ocean, NJ (US);
Elliot G. Jacoby, Glenside, PA (US);
Roland L. Ledyard, Bethlehem, PA
(US); **Michael W. Pessina**, Allentown,
PA (US); **Joel S. Spira**, Coopersburg,
PA (US)

(List continued on next page.)

OTHER PUBLICATIONS

NEMA Standards Publication No. ANSI/NEMA WD
6-2001, Wiring Devices—Dimensional Specifications, pp. 5
and 7.

Photograph of Toggler® dimmer switch, Model TG-600PH,
Lutron Electronics Co. Inc., Coopersburg, PA, known prior
to Nov. 13, 2001.

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(List continued on next page.)

(**) Term: **14 Years**

Primary Examiner—Ted Shooman

Assistant Examiner—Selina Sikder

(21) Appl. No.: **29/170,066**

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath
LLP

(22) Filed: **Oct. 31, 2002**

(57) **CLAIM**

Related U.S. Application Data

The ornamental design for a switch, as shown and described.

(62) Division of application No. 29/151,528, filed on Nov. 13,
2001.

DESCRIPTION

(51) **LOC (7) Cl.** **13-03**

FIG. 1 is a perspective view of a switch showing our new
design;

(52) **U.S. Cl.** **D13/171**

FIG. 2 is a front elevational view thereof;

(58) **Field of Search** D8/350-353, 330,
D8/343; D6/300, 309; D13/125, 162, 169,
170, 171, 174, 177; D23/254; 16/402; 174/48,
52.1, 66; 200/5 R, 5 A, 16 R, 42.01, 237,
293, 308, 310, 313-314, 324, 329, 331,
341, 519, 547; 292/357; 220/240; 307/125

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of a second embodiment of the
design of FIG. 1, the only difference being the elimination
of the airgap switch actuator at the bottom of the actuator
mounting frame;

(56) **References Cited**

U.S. PATENT DOCUMENTS


1,829,422 A	10/1931	Seltzer	220/241
2,141,936 A	12/1938	Schmitt	200/304
D151,305 S	10/1948	Waltman	D8/350
D153,803 S	5/1949	Huppert	D8/352
2,460,599 A	10/1949	Rowe	74/565
3,571,545 A	3/1971	Haderer	200/166
3,684,850 A	8/1972	Kaderbek et al.	200/166
3,939,318 A	2/1976	Brown et al.	200/159 R
4,109,121 A	8/1978	Bauer et al.	200/67 E

FIG. 9 is a front elevational view of the second embodiment
shown in FIG. 8; and,

FIG. 10 is a bottom plan view thereof, the remaining views
of the second embodiment being identical to those of the first
embodiment of FIG. 1.

The broken line showing of the environment is for illustra-
tive purpose only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D477,577 S

Page 2

U.S. PATENT DOCUMENTS

D253,342 S	11/1979	Mayo	D13/125	5,669,484 A	9/1997	Paulson	200/43.22
4,352,964 A	10/1982	English	200/5 A	5,675,125 A	10/1997	Hollinger	174/66
4,672,229 A	6/1987	Skarman et al.	307/115	5,721,405 A	2/1998	Hamada	200/16 R
4,695,820 A	9/1987	D'Aleo et al.	338/179	5,753,983 A	5/1998	Dickie et al.	307/141
4,783,581 A	11/1988	Flowers et al.	200/332	5,821,482 A	10/1998	Ootani et al.	200/5 A
4,803,380 A	2/1989	Jacoby, Jr. et al.	307/157	5,844,182 A	12/1998	Hirano et al.	200/5 R
4,822,963 A	4/1989	Martin	200/296	5,881,866 A	3/1999	Miyajima et al.	200/513
4,833,277 A	5/1989	Jacoby, Jr. et al.	174/66	5,909,087 A	6/1999	Bryde et al.	315/149
4,835,343 A	5/1989	Graef et al.	174/66	5,921,381 A	7/1999	Von Arx	200/345
4,871,893 A	10/1989	Slovak et al.	200/16 R	5,949,149 A	9/1999	Shitanaka et al.	307/10
4,880,950 A	11/1989	Carson et al.	200/547	6,005,308 A	12/1999	Bryde et al.	307/157
4,939,383 A	7/1990	Tucker et al.	307/139	6,013,885 A	1/2000	Kowalczyk	200/315
4,947,054 A	8/1990	Flowers et al.	307/125	6,107,585 A	8/2000	Gehr	200/505
5,068,639 A	11/1991	Swanson et al.	338/179	D439,220 S	3/2001	Mayo et al.	D13/125
D337,755 S	7/1993	Rowen et al.	D13/170	D456,785 S	5/2002	Yu	D13/169
5,248,919 A	9/1993	Hanna et al.	315/291					
5,262,678 A	11/1993	Flowers et al.	307/125					
D342,234 S	12/1993	Graybill, Jr. et al.	D13/169					
5,338,910 A	8/1994	Tsai	200/547					
5,343,007 A	8/1994	Roeser	200/296					
5,359,231 A	10/1994	Flowers et al.	307/125					
D353,798 S	12/1994	Bryde et al.	D13/169					
5,399,821 A	3/1995	Inagaki et al.	200/341					
5,428,674 A	6/1995	Kawashima	379/100					
5,446,252 A	8/1995	Burger	200/329					
D364,141 S	11/1995	Hanna et al.	D13/125					
5,584,380 A	12/1996	Naitou	200/315					
5,608,196 A	3/1997	Hall et al.	200/61.19					
5,637,930 A	6/1997	Rowen et al.	307/112					

OTHER PUBLICATIONS

Photograph of DIVA Duo brand dimmer switch and wall-plate, Model LDV-600P, Lutron Electronics Co. Inc., Coopersburg, PA, known prior to Nov. 13, 2001.

Photograph of Maestro® dimmer switch, Model MA-600H, Lutron Electronics Co. Inc., Coopersburg, PA, known prior to Nov. 13, 2001.

Photograph of Lumea 2 brand dimmer switch, Model LTLV-603PH, Lutron Electronics Co. Inc., Coopersburg, PA, known prior to Nov. 13, 2001.

Photograph of VAREO® dimmer switch, Model V-1000, Lutron Electronics Co., Inc., Coopersburg, PA, known prior to Nov. 13, 2001.




FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10