



US00D477602S

(12) **United States Design Patent**  
**Alsiö**

(10) **Patent No.:** **US D477,602 S**

(45) **Date of Patent:** **\*\* Jul. 22, 2003**

(54) **DATA INPUT DEVICE**

(76) Inventor: **Gunilla Alsiö**, P.O. Box 47170, SE-100  
74 Stockholm (SE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/163,671**

(22) Filed: **Jul. 9, 2002**

(51) **LOC (7) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/405; D14/402**

(58) **Field of Search** ..... D14/402-410,  
D14/417, 418, 420, 426; 463/37, 38; D13/158;  
D21/324; 345/156-167; 74/471 XY; 273/148 B,  
438

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D367,047 S	*	2/1996	Hood et al.	.....	D14/405
D381,970 S	*	8/1997	Gasca	.....	D14/405
5,894,303 A	*	4/1999	Barr	.....	345/163
6,104,383 A	*	8/2000	Shipman	.....	345/163
6,262,715 B1	*	7/2001	Sawyer	.....	345/163
6,377,245 B1	*	4/2002	Park	.....	345/163

\* cited by examiner

*Primary Examiner*—Kay H. Chin

(74) *Attorney, Agent, or Firm*—Rolf Fasth; Fasth Law  
Offices

(57) **CLAIM**

The ornamental design for a data input device, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of the data input device of the  
present invention;

FIG. 2 is a left side view of the data input device shown in  
FIG. 1;

FIG. 3 is an elevational top view of the data input device  
shown in FIG. 1;

FIG. 4 is a right side view of the data input device shown in  
FIG. 1;

FIG. 5 is an elevational bottom view of the data input device  
shown in FIG. 1;

FIG. 6 is an elevational rear view of the data input device  
shown in FIG. 1; and,

FIG. 7 is an elevational front view of the data input device  
shown in FIG. 1.

**1 Claim, 3 Drawing Sheets**




FIG. 1





FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7