



US00D477624S

(12) **United States Design Patent**
Ditson-Sommer

(10) **Patent No.:** **US D477,624 S**

(45) **Date of Patent:** **** Jul. 22, 2003**

(54) **PERIPHERAL LIGHTS POSITIONED ON EYEGLASSES**

(76) **Inventor:** **Rayma Ditson-Sommer**, 3220 E. Minnezona Cir., Phoenix, AZ (US) 85018

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/155,683**

(22) **Filed:** **Feb. 13, 2002**

(51) **LOC (7) Cl.** **16-06**

(52) **U.S. Cl.** **D16/330**

(58) **Field of Search** D16/300-330; D26/51; D29/109, 110; 351/41, 44, 51, 52, 158, 137; D14/372, 371, 496; D21/329, 330; 273/148 B

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D349,123 S * 7/1994 Cooley et al. D16/309
- D350,144 S * 8/1994 Vasko D16/311
- 5,349,393 A * 9/1994 Kreft 351/158
- 5,455,640 A * 10/1995 Gertsikov 351/158

- 5,537,160 A * 7/1996 King 351/158
- 6,065,835 A * 5/2000 Pekar et al. 351/158
- D429,751 S * 8/2000 Garrity et al. D16/314
- D439,266 S * 3/2001 Rose D16/309
- 6,375,324 B2 * 4/2002 Schlegger et al. 351/41

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Snell & Wilmer LLP


(57) **CLAIM**

The ornamental design for the peripheral lights positioned on eyeglasses, as shown.

DESCRIPTION

FIG. 1 is a perspective view of peripheral lights positioned on eyeglasses in accordance with the invention; FIG. 2 is a front view of the peripheral lights positioned on eyeglasses in accordance with the invention; and, FIG. 3 is a top plan view of the peripheral lights positioned on eyeglasses in accordance with the invention. The broken lines shown in FIGS. 1-3 are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG.1




FIG.2




FIG.3