



US00D478026S

(12)

United States Design Patent
Cartwright

(10) Patent No.:

US D478,026 S

(45) Date of Patent:

**** Aug. 5, 2003**

(54) **TENSIONING DEVICE**

(75) Inventor: **Richard D. Cartwright**, Beaverton, OR (US)

(73) Assignee: **Ironwood Designs LLC**, Tigard, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/155,957**

(22) Filed: **Feb. 19, 2002**

(51) **LOC (7) Cl.** **12-11**

(52) **U.S. Cl.** **D12/114**

(58) **Field of Search** D12/400, 1, 3, D12/4, 107, 114, 159, 160; 305/9, 116, 120-123, 124-142, 143-145, 47, 195; 192/13 R, 223.1; D15/23, 24, 28, 33

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,635,740 A	1/1987	Krueger et al.
D298,018 S	10/1988	Cartwright
5,330,019 A	7/1994	Cartwright
5,988,775 A *	11/1999	Nordberg 305/143

* cited by examiner

Primary Examiner—Joel Sincavage
Assistant Examiner—Linda Brooks
(74) *Attorney, Agent, or Firm*—Karen Dana Oster

(57) **CLAIM**

The ornamental design for a tensioning device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tensioning device showing my new design.

FIG. 2 is a top view of the tensioning device.


FIG. 3 is a back end view of the tensioning device.

FIG. 4 is a bottom view of the tensioning device.

FIG. 5 is a front end view of the tensioning device; and, FIG. 6 is a first side view of the tensioning device, the second side view being a mirror image thereof.

It is to be understood that the broken line depictions shown through the drawings of the exemplary spring, brackets, nuts and bolts, and other elements are included for illustrative purposes and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1





FIG. 3





FIG. 5




FIG. 6